

to scalp recordings of event-related potentials. *Average evoked potentials. Methods*, NASA SP-191, 1969. Pp. 45-94.

Evoked responses recorded from the scalp. *Neurophysiology*, 1970, **28**, 360-367. Technique. In D. Hill and G. Parr (Eds.), *Neurophysiology*, 1963. Pp. 25-64.

Edsley (Eds.), *Average evoked potentials. Methods*. NASA SP-191, 1969. Pp. 118-119.

N. L. Nastuk (Ed.), *Physical techniques in neurophysiology, Part A*. New York: Academic Press, 1969. Pp. 530-533.

Evoked potentials during speech perception.

Comparison of scalp and needle electrodes for the recording of evoked potentials. *Neurophysiology*, 1969, **26**, 530-533.

## Chapter 4

### The Analysis of Scalp-Recorded Brain Potentials

*Herbert G. Vaughan, Jr.*

*Saul R. Korey Department of Neurology  
and*

*Rose F. Kennedy Center for Research in  
Mental Retardation and Human Development  
Albert Einstein College of Medicine  
Bronx, New York*

I. Introduction .....	158
A. The Psychological Relevance of Human Brain Potential Studies .....	158
B. Empirical Approaches to Event-Related Brain Mechanisms .....	159
C. The Electroencephalogram and Event-Related Potentials .....	161
D. Objectives and Methods of Scalp Potential Analysis .....	162
II. Measurement and Statistical Analysis of Scalp-Recorded Potentials .....	164
A. Representation of the EEG and ERP .....	164
B. Ensemble Statistics and Sampling Principles .....	165
C. Stability of Ensemble Statistics .....	168
D. Estimation of the Mean ERP Component .....	173
E. Frequency Content of the EEG; Autocorrelation and Spectral Analysis .....	177
F. Special Problems in ERP Analysis .....	179
III. Analysis of the Sources of Scalp-Recorded Potentials .....	184
A. Statement of the Problem .....	184
B. A Method for Predicting Scalp Potential Distribution .....	185
C. The Volume Conduction Model .....	186
D. Definition of the Intracranial Generators .....	188

E. Representation of Specific Intracranial Sources .....	189
F. Computations from the Model .....	192
G. Application of the Model to Empirical Potential Distributions .....	193
IV. Synthesis and Prospectus .....	201
References .....	204

## I. Introduction

### A. The Psychological Relevance of Human Brain Potential Studies

The enormous complexity of neural transactions within the brain poses a formidable challenge to the investigator who would seek to understand some aspects of these processes by analyzing the brain potentials recorded from the human scalp. Any treatment of these neuroelectric data which aspires to more than pure description must give careful consideration to the manner in which the EEG data can best be related to appropriate psychological variables, as well as to the underlying brain mechanisms they reflect.

Psychologists who depend solely on behavioral data are restricted to inferences on the nature of information-processing mechanisms within the organism derived from patterns of stimulus and response contingencies. In the absence of data on the associated neural activity, psychological constructs have diverged quite widely from the conceptual forms which are most conducive to developing correlations between brain mechanisms and behavior.

Early efforts to link human brain potential recordings to psychological variables focused primarily upon correlations with gross changes in organismic state, or with various psychological categories. Only the well-known relationships with brain maturation, sleep stages, and organic brain pathology can be considered firmly established. Attempts to define EEG correlates of psychological constructs have not been particularly rewarding, since there has been little possibility of conceptualizing a functional relationship between the spontaneous brain activity and psychological organization. Thus, over and above the unlikely prospects for finding reliable correlations between simple measures of spontaneous EEG activity and complex constructs such as intelligence and personality, there is an intrinsic failure of these approaches to probe brain and behavior relationships in a manner which can help to elucidate the relevant physiologic mechanisms.

Recently developed methods for extracting brain potentials associated with specific sensory and motor processes have provided exciting possibilities for narrowing the gap between the psychological and physiologic domains of inquiry. It is not entirely surprising that investigators have retained much of the conceptual framework of earlier studies and continue to seek "indices" of more complex aspects of human mental processes. Yet, the modest

## 4. THE ANALYSIS OF SCALP-RECORDINGS

correlations which may be demonstrated between potential measures and psychological constructs subject to operational definition and experimental control, but little our comprehension of the underlying processes and human behavior. It is most difficult to apply brain potential analysis to define a natural context for neurobehavioral studies.

The elementary objective variables are sensorimotor responses. The founders of the field, in their quest for an understanding of processing mechanisms, emphasized the temporal relationship between the neural and behavioral data. Experiments formed the central part of the program. Behavioral data alone cannot understand the underlying processes, use of RT methods in conjunction with brain potentials (namely, Vaughan & Costa, 1966; Vaughan, Costa, & Evarts, 1966; Vaughan, Costa, & Evarts, 1966) provides an approach to charting the relationship between brain during sensorimotor sequences in human subjects. The logical extension of this approach from the opportunity it provides for the study of psychological and physiologic mechanisms under experimental conditions. Thus, direct methods involving brain ablation and lesion studies aspects of brain-behavior relationships. The underlying neural mechanisms will require a careful analysis of comitant variation of neural and behavioral data and the possibility that some aspects of the relationship between conscious experience may be identified with various sensory experiences (e.g., Vaughan & Costa, 1966; Standing, 1970; Efron, 1970a, 1970b). The modification of the original methods and the development of new methods have recently been investigated (e.g., Averbach & Sperling, 1961; Squires & Hillyard, 1964) as to provide techniques for probing psychologically obscure processes as well as various decision and

### B. Empirical Approaches to Evaluation

In conceptualizing the neural and sensorimotor processes of behavior in terms of tracing a sequence of

.....	189
.....	192
al Distributions .....	193
.....	201
.....	204

### *Brain Potential Studies*

actions within the brain poses who would seek to understand g the brain potentials recorded these neuroelectric data which give careful consideration to the related to appropriate psycho-; brain mechanisms they reflect. avioral data are restricted to ccessing mechanisms within the and response contingencies. In ctivity, psychological constructs tual forms which are most con- rain mechanisms and behavior. ial recordings to psychological is with gross changes in organ- ategories. Only the well-known stages, and organic brain path- Attempts to define EEG cor- t been particularly rewarding, ptualizing a functional relation- and psychological organization. for finding reliable correlations EEG activity and complex con- , there is an intrinsic failure of vior relationships in a manner siologic mechanisms.


ng brain potentials associated ve provided exciting possibilities ogical and physiologic domains vestigators have retained much dies and continue to seek "in- ental processes. Yet, the modest

correlations which may be demonstrated between poorly understood brain potential measures and psychological constructs which are difficult to subject to operational definition and experimental manipulation seem to advance but little our comprehension of relationships between brain mechanisms and human behavior. It is most desirable in applying the newer methods of brain potential analysis to define a psychological framework which forms a natural context for neurobehavioral investigation.

The elementary objective variables of behavioral science are stimuli and motor responses. The founders of experimental psychology recognized that an understanding of processing mechanisms required the definition of the temporal relationship between these reference variables. Reaction time experiments formed the central paradigm for this analysis. Although the behavioral data alone cannot unambiguously delineate the underlying brain processes, use of RT methods in combination with concurrent recording of brain potentials (namely, Vaughan, Costa, Gilden, & Schimmel, 1965; Evarts, 1966; Vaughan, Costa, & Gilden, 1966; Miller & Glickstein, 1967) provides an approach to charting the course of neural events within the brain during sensorimotor sequences, both in experimental animals and in human subjects. The logical attractiveness of the RT method derives from the opportunity it provides for analyzing the concomitant variation of psychological and physiologic parameters under a wide variety of experimental conditions. Thus, despite the undoubted value of physiologic methods involving brain ablation and stimulation in elucidating certain aspects of brain-behavior relationships, even a limited understanding of the neural mechanisms will require data obtained from analyses of the concomitant variation of neural and behavioral processes. In man, there is even the possibility that some aspects of the physiologic processes which underlie conscious experience may be identified and analyzed, since the time course of various sensory experiences can be experimentally defined (e.g. Haber & Standing, 1970; Efron, 1970a, b). The basic behavioral strategy is an elaboration of the original methods of Donders (1868). These behavioral methods have recently been imaginatively extended by psychologists (e.g., Averbach & Sperling, 1961; Sternberg, 1969; Posner & Taylor, 1969), so as to provide techniques for probing by physiologic methods such neurologically obscure processes as short-term storage and memory retrieval, as well as various decision and information processing mechanisms.

### *B. Empirical Approaches to Event-Related Brain Mechanisms*

In conceptualizing the neural mechanisms which underlie sensory, motor, and sensorimotor processes of varying complexity, we can view our task in terms of tracing a sequence of events within the brain either forward in time



from a stimulus, or backward from a motor act. In the former instance we consider the neural correlates of sensory and perceptual processes, in the latter the mechanisms which generate voluntary movement. If these processes are bounded by a stimulus and a motor response, as in the reaction time paradigm, some of the intervening neural events can be considered essential to the behavioral sequence. If the particular S-R process being studied was the only thing going on in the brain, it would presumably be possible to chart the spatial extent and temporal sequence of the associated neural processes, by recording from a sufficient number of appropriately placed electrodes. Several problems confront such a direct approach (which actually represents the classical method of sensory physiology).

1. The physiologic activity elicited by discrete stimuli and associated with motor responses is of substantial duration, measured in tenths of seconds. Thus, a motor response to a brief light flash may be initiated before evoked retinal and brain activity have subsided. This circumstance implies a substantial temporal overlap in the neural activity at successive stages of information processing, which can obscure the definition of serial functional relationships.

2. Both behavioral and physiologic evidence attest to the increasing temporal variability of neural activity, as it increases in distance from the reference event. Since the analytical method being proposed depends upon defining reliable temporal relationships of neural activity to stimuli and/or motor acts, the variable dispersion of neuroelectric potentials within a given process must be taken into consideration.

3. Since it is well known that parallel processes and feedback loops abound within the brain, even elementary processes of behavioral significance can rarely be adequately depicted as strictly serial mechanisms. This forces us to deal with the conceptually and technically difficult analysis of nonlinear systems. Among the possible approaches are the use of brain lesions to open feedback loops, in combination with simultaneous recordings at several brain sites (Vaughan & Gross, 1969). The experimental demands of such combined approaches are arduous and have yet to be satisfactorily implemented.

4. In the behaving organism the event-related process under study is by no means the only thing going on in the brain, and concurrent spontaneous brain potentials tend to obscure the relevant potentials. Early evoked potential studies in animals dealt with this problem by using general anesthesia to suppress the spontaneous rhythms. Unfortunately, this gain was achieved at the cost of eliminating the subject's capacity for emitting a behavioral response, which provides the only indication of the informational impact of a stimulus. Anesthesia (and the more recent use of paralytic agents) also

makes it impossible to directly correlate brain activity with behavior. Thus, an alternative approach to the analysis of spontaneous brain activity with respect to behavioral sequences is clearly required for the behaving organism.

5. In man, the necessity for recording from the brain to deal with the inaccessibility of the brain to direct observation and the degradation of information on the part of the recording electrodes and electric potentials.

One can hardly wonder that, in the past, many have doubted the value of neurophysiological recordings of brain potentials. Nevertheless, the development of new methods and techniques can permit us to utilize recordings of human brain potential analysis to study psychological variables. This potential is particularly important in relation to complex perceptual and motor processes. There are already indications that such studies can provide some insight into the mechanisms of the most complicated types of mental processes.

### C. The Electroencephalogram and the Analysis of Spontaneous Brain Potentials

The foregoing considerations concern the analysis of brain potentials which can be related to specific behavioral events and those which do not possess such a relationship. The former class is complex and the latter is simple (Vaughan, 1969) and the latter is the subject of this chapter.

We differentiate between neurophysiological recordings of specific, observable aspects of spontaneous brain activity, whose function is to provide a basis for the present knowledge and techniques of EEG distinction is made between "spontaneous" and "stimulated" EEG. Stated in another way, the distinction is made between the EEG to the status of an index of neural processes and the EEG as indices of neural processes and organismic state. Certainly, the functional significance which is by no means purely physiological and behavioral relationships.

At this time it has been proposed in this chapter, to delineate four main types of EEG (Ritter, 1973): (1) sensory evoked

act. In the former instance we deal with perceptual processes, in the latter with motor processes. If these processes are to be considered essential components of the S-R process being studied, it would presumably be possible to measure the associated neural activity by means of appropriately placed electrodes and a direct approach (which actually is physiology).

Stimuli and associated responses are measured in tenths of seconds. The time between stimulus and response may be initiated before evoked responses. This circumstance implies a subjectivity at successive stages of the definition of serial function.

Increases in distance from the source of the signal being proposed depends upon the amount of neural activity to stimuli and/or the amplitude of electric potentials within a given area.

Processes and feedback loops are involved in processes of behavioral significance. This is a technically difficult analysis of the processes. The approaches are the use of brain stimulation with simultaneous recordings (Vaughan, 1969). The experimental procedures are tedious and have yet to be satisfied.

The process under study is by means of electrical stimulation, and concurrent spontaneous potentials. Early evoked potentials were obtained by using general anesthesia. Unfortunately, this gain was achieved at the expense of behavioral activity for emitting a behavioral response. The informational impact of the stimulation (the use of paralytic agents) also

makes it impossible to directly study the physiologic correlates of motor behavior. Thus, an alternative method for reducing the interference of spontaneous brain activity with observations of events related to specified behavioral sequences is clearly needed for neurophysiologic studies in the behaving organism.

5. In man, the necessity for recording from the intact scalp, due to the inaccessibility of the brain to direct electrode probes, imposes enormous degradation of information on the location, nature, and timing of neuroelectric potentials.


One can hardly wonder that, faced with these manifold obstacles, many have doubted the value of neurobehavioral studies employing scalp-recorded brain potentials. Nevertheless, the creative application of available knowledge and techniques can permit us to at least partially realize the possibilities of human brain potential analysis for directly relating cerebral processes to psychological variables. This potentiality is, of course, quite unique in relation to complex perceptual and cognitive processes, including language. There are already indications that, properly pursued, human brain potential studies can provide some insights into the physiologic mechanisms of even the most complicated types of mental activity.

### C. *The Electroencephalogram and Event-Related Potentials*

The foregoing considerations lead to a fundamental distinction between brain potentials which can be related to discrete stimuli or to motor acts and those which do not possess such empirically definable objective referents. The former class is composed of the event-related potentials, ERP (Vaughan, 1969) and the latter the spontaneous brain rhythms, or EEG.

We differentiate between neuroelectric phenomena which can be linked to specific, observable aspects of behavior and the manifestations of spontaneous brain activity, whose functional role is not definable in the context of present knowledge and techniques. In the language of signal theory, the distinction is made between "signals"—the ERP, and "noise"—the background EEG. Stated in another way, which partially mitigates the demotion of the EEG to the status of an obscuring nuisance, we can view the ERP as indices of neural processes and the background EEG as an indicator of organismic state. Certainly, the spontaneous brain activity retains a potential significance which is by no means diminished by its presently obscure physiologic and behavioral relationships.

At this time it has been possible, using the methods described in this chapter, to delineate four main types of ERP (Vaughan, 1969; Vaughan & Ritter, 1973): (1) sensory evoked potentials, (2) motor potentials, (3)



association cortex potentials, (4) steady potential shifts. The first two potentials are relatively well synchronized with their respective stimulus and motor reference events, and their intracranial sources can be localized mainly to regions in and near the primary and secondary sensory and motor cortical areas. These potentials are obligatory cortical indices of stimulus and response. In contrast, the association cortex potentials are seen only when stimuli achieve significance for the organism, either by virtue of their role as signals in a behavioral task or by their unexpected occurrence. These potentials are more variable in their time relationship to the preceding stimuli than are the sensory-evoked potentials, and they arise mainly from the parietotemporal cortex. The steady potentials comprise a less clearly defined category, due to their uncertain origins, their easy confusion with potentials generated outside of the brain, and the rather nebulous psychological associations attributed to them. These phenomena were first described in man by Köhler, Held, and O'Donnell (1952) and more recently have achieved wide interest following the description by Grey Walter and colleagues (Walter, Cooper, Aldridge, McCallum, & Winter, 1964) of the "contingent negative variation." Further information on the ERP can be found in Donchin and Lindsley (1969), and Vaughan and Ritter (1973).

#### *D. Objectives and Methods of Scalp Potential Analysis*

The preceding remarks suggest that the main thrust of human brain potential studies should be directed to the specification of physiologic correlates of behavioral processes whose temporal extent can be objectively delineated. We must seek data on the timing, magnitude, and location of the neural events which take place in the brain during a given behavioral sequence. Since scalp-recorded brain potentials provide a substantially degraded indication of intracranial neural processes, evidence on each of these variables may either be rather ambiguous or simply not available using present techniques. Accordingly, it is important to assess the limitations of scalp potential recordings as neuroelectric data, and to concentrate upon those aspects of the data which provide the most useful indices of brain activity.

Information on the timing of neural activity during the course of well-defined behavioral sequences is the least equivocal data derived from human brain potential records. If the ERP waveforms are sharply differentiated from concurrent EEG activity, the duration of some aspects of the underlying neural processes can be determined.

Inferences concerning the magnitude of neural activity are on much less secure ground. Although it is possible to derive measurements of ERP amplitude with essentially the same reliability as determinations of the

#### 4. THE ANALYSIS OF SCALP-RECORDING

timing of its components, the interpretation of this data is uncertain. This uncertainty derives from the difficulty of the localization of cellular neuroelectric events to the scalp. Although some data on the relationship between concurrent intracellular microelectrode recordings and scalp recordings (Creutzfeldt, Watanabe, & Watanabe, 1968) have yet been sufficiently extensive to permit a comparison of the timing and magnitude of intracortical neural events with scalp recordings. Furthermore, data are available which show no simple relationship between the timing of scalp waveforms and the magnitude of the underlying neural event, due, in part, to the fact that the major contribution to the scalp potential is made by the major contribution to the scalp potential is made by the manifestation at the cortical surface. The membrane depolarizations of pyramidal neurons appear as surface potentials when located deep within the cerebral cortex. When the dendrites, it is accurately reflected in the scalp potential. The orientation of a neuron is determined by the orientation of the scalp potential, which is a result of the summation of the potentials on the surface of the neuron, it can be seen that the relationships between the surface potentials and the underlying neural events are not warranted. Despite these complex relationships, patterns of covariation will be observed between scalp potentials and volume-conducted potentials. This has been extensively studied in behaving animals and in man, and metabolic manipulations provide a means of studying slow cortical activity and neural activity. The study of brain function a more stable condition is especially important that than in the grossly uncontrolled conditions of anesthesia and pharmacologic intervention is available, the temptation to interpret brain potential amplitude and duration must be strongly resisted. It is clear that measurements of human brain potentials and their quantitative correlations can be established only when the relationship between variables and brain potential measurements is known to some aspect of the underlying neural activity. The knowledge of human brain potential timing and magnitude of neural

tial shifts. The first two potentials, their respective stimulus and response sources can be localized to primary and secondary sensory and motor cortical indices of stimulus processing. Vertex potentials are seen only in humans, either by virtue of their timing or their unexpected occurrence. The relationship to the preceding potentials, and they arise mainly from the same sources, and they comprise a less clearly defined group. Their confusion with other potentials, their easy confusion with other potentials, and the rather nebulous psychophysiological phenomena were first described by Grey Walter and colleagues (Walter, 1952) and more recently have been discussed by Grey Walter and colleagues (Walter, & Winter, 1964) of the formation on the ERP can be seen in Vaughan and Ritter (1973).


#### 4.1 Analysis

The main thrust of human brain potential research is the specification of physiological processes. Temporal extent can be objectively measured, magnitude, and location of potentials during a given behavioral process provide a substantially more complete picture of the processes, evidence on each of which is either available or simply not available. It is important to assess the limitations of the available data, and to concentrate on the most useful indices of

neural activity during the course of well-defined behavioral events. The data derived from human potentials are sharply differentiated from those of some aspects of the underlying

neural activity are on much less certain ground. The measurements of ERP potentials are as determinations of the

timing of its components, the interpretation of these measures is ambiguous. This uncertainty derives from the lack of specific information on the reflection of cellular neuroelectric events at the cortical surface, and thus at the scalp. Although some data on these relationships have been obtained by concurrent intracellular microelectrode and surface cortical macroelectrode recordings (Creutzfeldt, Watanabe, & Lux, 1966a, b), this work has not as yet been sufficiently extensive to permit inferences to be drawn on the nature and magnitude of intracortical neural events from surface cortical or scalp recordings. Furthermore, data already at hand make it clear that there is no simple relationship between the amplitude and polarity of scalp potential waveforms and the magnitude of the underlying neural processes. This is due, in part, to the fact that the postsynaptic potentials, which are believed to make the major contribution to scalp-recorded potentials, differ in their manifestation at the cortical surface according to their site of generation. The membrane depolarizations comprising the excitatory postsynaptic potentials appear as surface-positive events followed by a negative potential when located deep within the cortex, on or near the bodies of pyramidal neurons. When the depolarization is superficial, on the apical dendrites, it is accurately reflected by the surface potential. Since the firing of a neuron is determined by the depolarization near the initial axon segment, which is a result of the summation of EPSPs and IPSPs over the entire surface of the neuron, it can be seen that simple generalizations concerning relationships between the surface potentials and neural firing patterns are not warranted. Despite these complexities it is not at all unlikely that reliable patterns of covariation will be found when the relationships between cellular potentials and volume-conducted neuroelectric activity are more extensively studied in behaving animals. Although various pharmacologic and metabolic manipulations profoundly alter the relationship between the slow cortical activity and neural action potentials, under normal conditions of brain function a more stable correlation can be expected. For this reason it is especially important that these analyses be done in behaving animals, rather than in the grossly unnatural circumstances induced by general anesthesia and pharmacologic immobilization. Until more definite information is available, the temptation to draw simple parallels between scalp brain potential amplitude and magnitude of the underlying neural activity must be strongly resisted. It does not follow, however, that amplitude measurements of human brain potentials are meaningless. If reliable quantitative correlations can be established between appropriate psychological variables and brain potential measures, it is reasonable to suspect a relationship to some aspect of the underlying neural activity. At this point in our knowledge of human brain mechanisms, even crude indications on the timing and magnitude of neural activity associated with specific behavioral



sequences can advance our understanding of the "chronological localization" of cerebral processes. In this quest, it is crucial to have information on the intracranial sources of the scalp-recorded potentials. Although difficult to define in an unambiguous fashion from data on scalp potential distribution, techniques are available for testing simple but useful hypotheses concerning the generators of this activity.

In pursuing the objectives outlined above, the basic problems of brain potential analysis can be divided into two distinct parts: (1) the statistical analysis of brain potentials to characterize the waveform of the ERP and differentiate it from the background EEG; (2) the biophysical analysis of volume conduction within the brain and its coverings to delineate the intracranial sources of the ERP.

Taken together, these approaches permit us to begin an exploration of the gross spatiotemporal patterns of the brain activity which underlie human experience and behavior.

## II. Measurement and Statistical Analysis of Scalp-Recorded Potentials

### A. Representation of the EEG and ERP

In this section we will consider a sample of the potential distribution over the scalp surface recorded from a single electrode pair. It will be assumed that one electrode, the reference, is suitably placed so that the potential fluctuations sensed by it are negligible. Therefore, the potential difference,  $V(t)$ , between the two electrodes predominantly reflects the potential fluctuations beneath the active electrode. If both electrodes are sampling time-varying cerebral potentials (as in "bipolar" recordings), the neuroelectric data will contain indeterminate contributions from different brain regions—a circumstance which immeasurably complicates the interpretation of the neuroelectric data (see Chapter 3).

The total voltage,  $V(t)$ , recorded over time comprises two hypothetical potentials, the ERP, symbolized  $E(t)$ , and the EEG, represented by  $G(t)$ . In a continuous record,  $E(t)$  will be nonzero only during certain restricted periods which can be related in time to the external reference events. The timing reference,  $t_0$ , for  $E(t)$  may comprise either a stimulus or a discrete motor act, so the ERP may begin either before or after the reference event, or even overlap on both sides of it. For this reason, the actual timing of  $t_0$  with respect to the beginning of a data sample will depend upon the particular experimental circumstances and the specific temporal characteristics of the ERP. Thus, it is necessary to give careful consideration to the duration and relation to  $t_0$  of the expected ERP in determining the onset and length of the

### 4. THE ANALYSIS OF SCALP-RECORD

samples selected for analysis. For experimental conditions, where there is overlap of successive ERP. Many specific intervals between experiments, as well as the requirements of the ongoing brain potential, underlying the statistical analysis.

In general the neural processes are considered deterministic, so that variations in potentials related to them are to be decomposed into a mean component and a random component. It is not desirable to make any assumptions about the variability, since under specific conditions it may be partly systematic. The possible periodicity must be kept in mind and appropriate statistical tests used to detect and characterize such periodicities in sequences of sensory responses depicted by  $\Delta E(t)$ .

The spontaneous EEG, represented by  $G(t)$ , is assumed to be a random process. The conditions and limits of this assumption will be applied to the statistical formulations. The formal mathematical functions and models are narrow-band Gaussian processes. It should be kept in mind that the statistical treatments will be valid only when the data are described by the model. It is also necessary to describe the data under conditions that confirm or negate the applicability of a model. This caveat cannot be too strongly emphasized.

Employing the notation of the brain potential record:

$$V(t) = \bar{E} + G(t)$$

where  $\bar{E}(t)$  is the mean component and  $G(t)$  the background EEG.

### B. Ensemble Statistics and Sampling

The objectives of statistical analysis are to obtain a suitably accurate characterization of the size and nature of the ERP.

of the "chronological localization crucial to have information on ERP potentials. Although difficult data on scalp potential distribution simple but useful hypotheses

the basic problems of brain distinct parts: (1) the statistical waveform of the ERP and (2) the biophysical analysis of its coverings to delineate the

let us to begin an exploration of brain activity which underlie

### Statistical Analysis of Potentials

role of the potential distribution single electrode pair. It will be, is suitably placed so that the negligible. Therefore, the potential predominantly reflects the electrode. If both electrodes are as in "bipolar" recordings), the late contributions from different measurably complicates the interpretation 3).

time comprises two hypothetical the EEG, represented by  $G(t)$ . occur only during certain restricted external reference events. The occur either a stimulus or a discrete before or after the reference event, as reason, the actual timing of  $t_0$  will depend upon the particular temporal characteristics of the consideration to the duration and timing the onset and length of the

samples selected for analysis. For obvious reasons, it is well to arrange the experimental conditions, whenever possible, to avoid possible temporal overlap of successive ERP. Many factors will enter into the decision on a specific interval between experimental trials; these should always include consideration of possible physiologic interactions among sequential processes, as well as the requirement for independent and random sampling of the ongoing brain potentials which forms an important assumption underlying the statistical analysis of the ERP.

In general the neural processes represented by an ERP cannot be considered deterministic, so that variations in magnitude and timing of the potentials related to them are to be expected. Thus the ERP,  $E(t)$ , can be decomposed into a mean component,  $\bar{E}(t)$ , and a variable term,  $\Delta E(t)$ . It is not desirable to make any assumptions which restrict the nature of this variability, since under specific circumstances it might be either random or partly systematic. The possible presence of systematic changes must always be kept in mind and appropriate experimental manipulations carried out to detect and characterize such changes. A well-known systematic change in sequences of sensory responses is *habituation*, whose presence would be depicted by  $\Delta E(t)$ .

The spontaneous EEG, represented by  $G(t)$ , is in most elementary treatments assumed to be a random variable independent of  $E(t)$ . The implications and limits of this assumption will be considered later. In order to apply the statistical formulations of signal theory to EEG analysis, simplified formal mathematical functions are ordinarily employed. Among the popular models are narrow-band Gaussian noise and sums of sinusoidal functions. It should be kept in mind that inferences drawn from such theoretical treatments will be valid only when the empirical data are adequately described by the model. It is always desirable to pursue the quantitative description of the data under consideration as far as is necessary to confirm or negate the applicability of a particular assumption or inferential technique. This caveat cannot be too strongly emphasized.

Employing the notation of the preceding discussion, we may represent the brain potential record:

$$V(t) = \bar{E}(t) + \Delta E(t) + G(t),$$

where  $\bar{E}(t)$  is the mean component of the ERP,  $\Delta E(t)$  its variable component, and  $G(t)$  the background EEG.

### B. Ensemble Statistics and Sampling Principles

The objectives of statistical brain potential analysis are: (1) to provide a suitably accurate characterization of the mean ERP,  $\bar{E}(t)$ ; (2) to estimate the size and nature of the ERP variability,  $\Delta E(t)$ ; and, (3) to describe the

statistical features of the background EEG,  $G(t)$ , to the extent required for the analysis of  $E(t)$  and dictated by experimental interest in the ongoing brain activity. For practical purposes, satisfactory statistical description of these variables can be achieved by computing their first and second moments as a function of time. We will consider three statistics: the mean, the variance, and the autocovariance (autocorrelation). These measures are computed from a set of suitably chosen potential records of finite length, called ensembles. The ensemble length comprises an epoch. Each ensemble consists of a series of voltage measurements taken at successive points in time, which constitutes a discrete time-sampled description of the continuous voltage (Fig. 4-1). This sampling process can be done by making direct hand measurements at specified intervals from a continuous EEG record or, more commonly, by an instrumental analog-to-digital conversion. The sampling interval (or its reciprocal, the sampling rate) must be chosen to represent the continuous waveform with sufficient accuracy to permit satisfactory computation of the required statistics. The theoretical minimum sampling rate to permit a satisfactory representation of frequency content is at least twice the highest frequency present in the data. If samples are taken less often, spurious fluctuations at lower frequencies (called alias frequencies) show up in the sampled data (Fig. 4-2). These errors may not be too damaging in estimating the ERP, as they tend to be random with respect to the mean component,  $\bar{E}(t)$ , and are therefore reduced in relative size by averaging. However, characterization of the frequency composition of the ongoing EEG, using the autocovariance, may be seriously misleading since the alias frequencies are retained in these computations (see Section II,E). The frequency range (bandwidth) of the EEG and ERP can be restricted for all practical purposes to activity between 0 and 100 Hz. A minimum sampling rate of 200 Hz (sampling interval of 5 msec) will not, therefore, introduce significant aliasing errors, and will provide adequate ERP waveform resolution for most experimental purposes. Occasionally, a higher sampling rate may be employed to resolve higher frequency components for the purpose of accurate latency measurements. Since the main ERP components have a frequency content below 50 Hz, lower sampling rates can be used, providing the amplifier bandpass is set to eliminate activity at frequencies greater than half the selected rate. It is important to note that an analog-to-digital converter will sample any activity present in the record, so that high frequency activity undesired in the analysis must be eliminated by appropriate filtering prior to sampling. Knowledge of amplifier characteristics and the frequency content of the data being recorded are essential to a correct sampling procedure. Since each of the data samples must be stored in the memory of either a digital averaging device or a general purpose computer, there will be some maximum total number

## 4. THE ANALYSIS OF SCALP-RECORD




FIG. 4-1. Discrete sampling of a continuous voltage waveform. The ensemble consists of  $(m - 1)$  samples,  $V(t_1) \dots V(t_m)$ .




FIG. 4-2. "Aliasing" of a 40-Hz waveform. The sampling rate (50 Hz) is less than twice the frequency.

of samples. The permissible sampling rate depends on the epoch length and the number of samples analyzed. It will, therefore, be determined only after careful consideration of the epoch length and the number of samples being recorded, the required accuracy of the ERP under consideration.

We now take a set of  $N$  ensemble samples,  $V_k(t_1, t_2, \dots, t_m)$ , where  $k$  takes on the values 1 through  $N$ . The ensemble mean is

$$\bar{V}(t) =$$

computed across the  $N$  ensemble

$\hat{G}(t)$ , to the extent required for mental interest in the ongoing factory statistical description of their first and second moments statistics: the mean, the variance. These measures are computed over finite length, called epoch. Each ensemble consists of  $m$  samples at successive points in time, description of the continuous can be done by making direct from a continuous EEG record analog-to-digital conversion. The sampling rate) must be chosen to sufficient accuracy to permit statistics. The theoretical minimum representation of frequency content present in the data. If samples are taken at lower frequencies (called aliasing, Fig. 4-2). These errors may not be random with time, they are therefore reduced in relative error of the frequency composition. Aliasing, may be seriously misleading in these computations (see Section 4.2). The EEG and ERP can be analyzed between 0 and 100 Hz. A sampling interval of 5 msec will not be adequate, and will provide adequate for mental purposes. Occasionally, to resolve higher frequency components, measurements. Since the main activity is below 50 Hz, lower sampling rate or bandpass is set to eliminate the selected rate. It is important to sample any activity present in the analysis must be or to sampling. Knowledge of the frequency content of the data being recorded. Since each of the data is either a digital averaging device or some maximum total number




FIG. 4-1. Discrete sampling of a continuous waveform to obtain an ensemble of voltage measurements,  $V(t_1) \dots V(t_m)$ . The ensemble epoch is equal to the sampling interval multiplied by  $(m - 1)$ .




FIG. 4-2. "Aliasing" of a 40-Hz waveform as a 10-Hz fluctuation, due to the use of a sampling rate (50 Hz) less than twice the frequency of the true signal.

of samples. The permissible sampling rate will thus be jointly determined by the epoch and the number of EEG channels being simultaneously analyzed. It will, therefore, often be necessary to trade off sampling rate versus epoch length or number of data channels. These decisions should be made only after careful consideration of the frequency content of the data being recorded, the required accuracy of temporal resolution, and the duration of the ERP under consideration.

We now take a set of  $N$  ensembles, each of which is symbolized:  $V_k(t_1, t_2, \dots, t_m)$ , where  $k$  takes on values from 1 to  $N$ , and the  $V(t_m)$  represent sample voltages associated with discrete points in time.

The ensemble mean is

$$\bar{V}(t) = 1/N \sum_{k=1}^N V_k(t),$$

computed across the  $N$  ensembles for each of the time samples.

The ensemble variance is

$$V^2(t) = 1/N \sum_{k=1}^N (V_k - \bar{V})^2,$$

also evaluated at each sample point across ensembles.

The ensemble autocovariance is

$$K(t_1, t_2) = 1/N \sum_{k=1}^N (V_k[t_1] - \bar{V}_k[t_1]) \cdot (V_k[t_2] - \bar{V}_k[t_2]).$$

It will be noted that both the variance (the autocovariance when  $t_1 = t_2$ ), and the autocovariance, are taken about the ensemble means, since the mean value of  $V(t)$  is nonzero during  $\bar{E}(t)$ . In the absence of a mean component, the squaring and cross multiplication may be performed on the voltages. This permits the use of analog devices (multipliers and delay lines) to compute EEG variance and covariance. Ordinarily, however, digital computers are now employed for the statistical treatment of brain potential records.

Computation of the autocovariance, which provides a measure of the correlation between different points in the record, averaged across ensembles, is carried out for every combination of time samples. If the random process is statistically invariant across time (a property we discuss in Section II,C), the specific time values  $t_1$  and  $t_2$  are not significant, but rather the difference between any two points, which is symbolized  $\tau$ . Thus the autocovariance can be evaluated across ensembles as a function of  $\tau$ . The computation of "lagged" cross products is carried out either on a single time sample of data (which requires further assumptions about the statistical stability of the process) or upon a set of ensemble averages. As might be suspected, this statistic provides an indication concerning waveform characteristics and is especially useful in defining periodic components of the EEG. These applications will be discussed in Section II,D. We now consider the statistical stability of brain potential data, prior to discussing the practical application of ensemble statistics.

### C. Stability of Ensemble Statistics

Inferences based on time samples drawn from a random process require not only an adequate number of ensembles to estimate the population statistics with the desired degree of accuracy, but also rest upon the assumption that the process is stable. We must have some assurance that no systematic changes are occurring in the brain potential data other than those associated with experimental manipulations. Such perturbations might in-

### 4. THE ANALYSIS OF SCALP-RECORD

volve either the background EEG intervention of uncontrolled variations, changes in the state of the In addition to rigorous control c it is always advisable to directly It is also a sound practice to view descriptive, and to employ them f defining the population from whi

The temporal stability of ense by the concepts of stationarity ar in the literature requires an explic tial data. A time-varying random tical purposes, if its first and sec covariance), computed across ens average voltage, its variability at are stable across the epoch. Ergo time invariance, which permits a the statistics of all possible ensem of sufficient length to accurately The proper epoch will depend m data. In general the epoch will ha of the slowest frequency present to be satisfied. This is not necessa may be adequately represented process is random and the  $N$  is su

Let us now consider the applic tential data. First, it is apparent stationary since its mean value, ) ensemble epoch. In the case of  $\Delta$  by definition in the first instance, : EEG. The mean voltage of the E stance ensured by the use of a.c amplification is used, which has interest in steady potential shifts, a potential bias will ordinarily be presence of very low frequency several important problems. Fir activity is not of cerebral origin, electrode polarization, eye and o be relatively large in amplitude cranial origin. Since analog-to-t window, the presence of signific

involve either the background EEG,  $G(t)$ , or the ERP,  $E(t)$ , through the intervention of uncontrolled variables. In electrophysiological investigations, changes in the state of the physiologic system are not uncommon. In addition to rigorous control of the experimental conditions, therefore, it is always advisable to directly monitor the stability of the EEG data. It is also a sound practice to view the brain potential statistics as primarily descriptive, and to employ them for inferential purposes only after carefully defining the population from which the samples are drawn.

The temporal stability of ensemble statistics is defined in signal theory by the concepts of stationarity and ergodicity. The wide use of these terms in the literature requires an explication of their applicability to brain potential data. A time-varying random variable is said to be stationary, for practical purposes, if its first and second moments (mean, variance, and autocovariance), computed across ensembles, are constant. This means that the average voltage, its variability about the mean, and its frequency content, are stable across the epoch. Ergodicity represents a more stringent form of time invariance, which permits a single ensemble to be used to characterize the statistics of all possible ensembles. It is assumed that the ensembles are of sufficient length to accurately characterize the statistics of the process. The proper epoch will depend mainly upon the frequency content of the data. In general the epoch will have to be very much longer than the period of the slowest frequency present in the data for the ergodic hypothesis to be satisfied. This is not necessarily so for stationarity, since slow activity may be adequately represented across ensembles if the sampling of the process is random and the  $N$  is sufficiently large.

Let us now consider the applicability of these concepts to the brain potential data. First, it is apparent that the ERP,  $E(t)$ , is neither ergodic nor stationary since its mean value,  $\bar{E}(t)$ , is a time-varying function across the ensemble epoch. In the case of  $\Delta E(t)$ , the means are stationary, being zero by definition in the first instance, and constant in the case of the background EEG. The mean voltage of the EEG is usually taken to be zero, a circumstance ensured by the use of a.c. coupled amplifiers. However, when d.c. amplification is used, which has become more common with the recent interest in steady potential shifts, a significant constant or very slowly varying potential bias will ordinarily be present in the amplified EEG data. The presence of very low frequency activity in brain potential records poses several important problems. First of all, much of the very slow potential activity is not of cerebral origin, representing fluctuations in skin potential, electrode polarization, eye and other movement artifacts, all of which may be relatively large in amplitude compared to similar frequencies of intracranial origin. Since analog-to-digital converters have a limited voltage window, the presence of significant d.c. levels or baseline wandering can

$-\bar{V})^2$ ,

ensembles.

$]) \cdot (V_k[t_2] - \bar{V}_k[t_2])$ .

autocovariance when  $t_1 = t_2$ , the ensemble means, since the (in the absence of a mean common may be performed on the ces (multipliers and delay lines) :. Ordinarily, however, digital tical treatment of brain poten-

ich provides a measure of the ord, averaged across ensembles, samples. If the random process erty we discuss in Section II,C), ificant, but rather the difference zed  $\tau$ . Thus the autocovariance ction of  $\tau$ . The computation of her on a single time sample of about the statistical stability of erages. As might be suspected, ng waveform characteristics and omponents of the EEG. These ,D. We now consider the statis- rior to discussing the practical

from a random process require les to estimate the population y, but also rest upon the assump- ve some assurance that no syste- potential data other than those s. Such perturbations might in-

result in clipping the data, and require a reduction in gain to maintain the signal within the range of the converter. That will reduce the conversion accuracy, possibly leading to significant error in amplitude measurement. If a d.c. component is present in the ongoing EEG data, this must be eliminated before computing variance and covariance statistics. Slow fluctuations may also contribute very substantially to the total computed variance, thus reducing the apparent accuracy of an ERP estimate. Since the ERP components of interest comprise a restricted range of frequencies, it is often desirable to filter out lower and higher frequencies. Appropriate instrumental restriction of the recording bandwidth is an important method for reducing the variance of a random process. Whenever this maneuver is employed, however, it is essential to evaluate the effects of the amplifier bandpass or external filter on the amplitude and timing of the activity of interest, since substantial waveform distortion can be produced by inapt filtering. Unfortunately, the main frequency content of the EEG and the ERP are similar, so filtering can only play a limited role in differentiating the signal from background activity. Nevertheless, when detection of the ERP is more important than observing its waveform, sharp restriction of the bandpass may significantly improve the signal-to-background ratio. In general, selection of a recording bandwidth as narrow as possible, consistent with the nature of the data, will improve reliability and avoid problems associated with the analysis and interpretation of very low frequency and d.c. potentials.

The amplitude and frequency distributions of the EEG vary according to the arousal level of the subject, as well as showing substantial individual differences and variations according to age. These circumstances indicate that the variance and autocovariance of  $G(t)$  will often vary according to experimental conditions, and cannot be assumed to be stationary. Information on the size of random or systematic fluctuations in variance is important for judging the reliability of estimates based on ensemble averages.

In most of the empirical data we have examined, which includes records from adults and infants taken during wakefulness and in the different EEG sleep stages, the ensemble variance approaches a stable constant value across the epoch as  $N$  is increased. These data, which were obtained from ensembles selected during visually homogeneous periods of EEG activity, meet the criterion for stationarity of variance. Furthermore, in most cases the mean variance computed across the epoch for relatively small subsamples of data turned out to be the same as the ensemble variance for samples of large  $N$ . When this is the case, the variance data are ergodic, as well as stationary. A typical set of average evoked potential data is depicted in Fig. 4-3. Instead of the variance, the root-mean-square deviation from the mean (the standard deviation,  $s$ ) is shown, since this measure represents the average deviation

## 4. THE ANALYSIS OF SCALP-RECORD




FIG. 4-3. Ensemble average ( $\bar{V}$ ) and standard deviation ( $s$ ) for  $N$  of 16, 64, and 256. Amplitude calibration is shown on the right.

from the mean and is expressed as a squared voltage.

When the  $N$  is rather small, the standard deviation fluctuates across the epoch. These fluctuations are due to the rectification process which, due to the presence of low frequencies present in the original data, causes the mean value of  $s$  computed across the epoch to be higher than the population standard deviation. As  $N$  is increased, the ensemble standard deviation approaches the population standard deviation. This reduction in the variability of  $s$  is proportional to the square root of  $N$ . If the mean component, the standard deviation, is  $(N)^{1/2}$ , providing the variance is constant, that for small samples,  $s$  fluctuates across the ensemble epoch, so that the standard deviation at specific time points in the ensemble epoch is not stable. Generally, it will be desirable to select a large  $N$  to reduce fluctuations in  $s$  within the epoch. An appropriate  $N$  can be selected by noting the variability of  $s$  and applying the  $(N)^{1/2}$  rule.

In the experimental situation assumed to show no long-term characteristics, i.e., to represent a stationary case, however, as exemplified by the transition from wakefulness to sleep and back to wakefulness, under circumstances the EEG statistics are stationary. As disclosed by examination of t

duction in gain to maintain the that will reduce the conversion error in amplitude measurement. In EEG data, this must be eliminated by variance statistics. Slow fluctuations contribute to the total computed variance, and hence to the ERP estimate. Since the ERP is a range of frequencies, it is often noisy. Appropriate instrumental techniques are an important method for reducing noise. When this maneuver is employed, the effects of the amplifier bandpass or the activity of interest, since they are reduced by inapt filtering. Unwanted components of the EEG and the ERP are removed. The role in differentiating the signal from the noise when detection of the ERP is made is a sharp restriction of the bandpass to background ratio. In general, the narrower the bandpass, the more consistent with the signal and avoid problems associated with low frequency and d.c. potentials. Components of the EEG vary according to the subject, showing substantial individual differences. These circumstances indicate that the ensemble average  $\bar{V}(t)$  will often vary according to the subject. It is assumed to be stationary. Intrinsic fluctuations in variance are estimated based on ensemble averages. When examined, which includes records of individual subjects, it is found that the variance has a stable constant value across epochs. Epochs were obtained from ensembles of periods of EEG activity, which meet the criteria. Furthermore, in most cases the mean variance for relatively small subsamples of data is ergodic, as well as stationary. The data is depicted in Fig. 4-3. Instead of variation from the mean (the standard deviation represents the average deviation




FIG. 4-3. Ensemble average ( $\bar{V}$ ) and standard deviation ( $s$ ) of a visual evoked response shown for  $N$  of 16, 64, and 256. Amplitude calibration: 15  $\mu$ V to ordinate mark.

from the mean and is expressed in the same units as the data, rather than as a squared voltage.

When the  $N$  is rather small, e.g. 16,  $s$  shows substantial fluctuations across the epoch. These fluctuations reflect the periodic features of the data which, due to the rectification produced by squaring, appear at double the frequencies present in the original record. If the process is ergodic, the mean value of  $s$  computed across the epoch provides an accurate estimate of the population standard deviation. This can be seen to hold for these data by comparing the mean  $s$  for  $N = 16$  with  $s$  for  $N$ s of 64 and 256. As  $N$  is increased, the ensemble  $s$  approaches a constant value over the epoch. This reduction in the variability of  $s$  is systematic, being inversely proportional to the square root of  $N$ . If we consider now the probable accuracy of the mean component, the standard error of estimate also diminishes by  $(N)^{1/2}$ , providing the variance is ergodic. It is important to recall, however, that for small samples,  $s$  fluctuates fairly widely around its mean value across the ensemble epoch, so inferences concerning the accuracy of specific time points in the ensemble average based on the mean  $s$  can be off the mark. Generally, it will be desirable to use a sufficiently large  $N$  to reduce fluctuations in  $s$  within the epoch to 10% of their average value. The appropriate  $N$  can be selected by noting the range of  $s$  for a single small sample and applying the  $(N)^{1/2}$  rule.

In the experimental situations considered so far, the EEG has been assumed to show no long-term fluctuations in its frequency and amplitude characteristics, i.e., to represent an ergodic process. This is not always the case, however, as exemplified by the changes associated with the transition from wakefulness to sleep and among the various sleep stages. Under these circumstances the EEG statistics are clearly nonergodic. This may not be disclosed by examination of the ensemble variance, however, since the



istics affect all portions of the en- will prevail when the brain poten- rring the recording period. This nged vigilance task. The inhomog- e detected by visual inspection if / are substantial. The shift may : mean variance of small ensemble ling period. Whenever the mean :  $N$  exceeds that computed from a e inferred. The converse, however, ensure ergodicity of the process, mplitude distribution rather than ectral analysis would be required rimarily involving changes in fre- rposes to restrict the data sampl- es of EEG by continuous visual on is rather important since the ion of the changes in state reflected own, for example, during the dif- o accomplish this segregation will, : some form of frequency analysis yond the instrumental capabilities


in which a systematic nonstation- d with the ERP waveform. The nce associated with  $E(t)$  indicates negligible in comparison to  $G(t)$ .  $E(t)$  is almost always smaller than actor of from 2 to 10, and ERP s mean amplitude. It is rarely pos- duce the fluctuations in  $s$  within the ly detect small ERP fluctuations. ith empirically, however, since it  $\sigma/\bar{E}(t)$  and the amplitude of  $G(t)$ , : statistics. In certain situations, as tials, both  $\Delta E(t)$  and  $\bar{E}(t)$  are rela- may be differentiated from  $G(t)$  by he experimental conditions under wever, place a sharp limit on the  $\Delta E(t)$  is not easy to achieve, even ensemble variance will reflect  $G(t)$  caution must be exercised in evalu-

ating apparent differences in ensemble averages associated with experimental manipulations. If the variance of  $G(t)$  is taken into consideration, the mistaken attribution of waveform differences representing residual back- ground activity to treatment effects can be avoided.

A final instance in which a systematic nonstationarity can be demon- strated is the decrease in variance associated with blocking of the alpha rhythm. This stimulus-generated change in  $G(t)$  follows a light flash in many subjects who have a prominent occipital rhythm, and calls attention to the fact that the assumption of physiologic independence between  $E(t)$  and  $G(t)$  is not always warranted.

#### *D. Estimation of the Mean ERP Component*

Since the expected values (population means) of the variable components,  $\Delta E(t)$  and  $G(t)$ , are considered to be zero, the ensemble average,  $\bar{V}(t)$ , provides an estimate of the mean ERP component,  $\bar{E}(t)$ , and the variance,  $\bar{V}^2(t)$ , a measure of the accuracy of this estimate. The practical considerations which limit the number of ensembles employed to compute the mean and variance of  $V(t)$  result in the usual sampling errors. The magnitude of these errors will be jointly determined by  $N$  and the statistics of the variable components. Theoretical considerations, based upon the central limit theorem, confirmed by empirical examinations of EEG and ERP data, permit us to consider statistics obtained from averages of at least ten ensembles representing random samples of  $G(t)$  to be normally distributed. Since the normal probability distribution is fully defined by its first and second-order statistics, the precision of estimates derived from ensemble averages can be readily estimated by standard techniques. The usefulness of ensemble averaging for extracting the mean ERP component from the background EEG is based upon the fact that the variability of the ensemble means, when expressed as their variance, is inversely proportional to the number of ensembles,  $N$ , constituting the ensemble average. It might be noted at this point that the terminology employed in the literature does not always clearly distinguish the ensemble standard deviation from the standard deviation of the ensemble averages. The latter measure, which is the ensemble standard deviation divided by  $(N)^{1/2}$ , is best designated the standard error. This value is obtained either by dividing the ensemble standard deviation,  $s$ , by  $(N)^{1/2}$ , or by computing the standard deviation of several ensemble means. Although the values obtained by these methods are equivalent if there is no change in the population statistics over time, it is sometimes found that the standard error computed from the ensemble means shows an increase associated with the ERP waveform not seen in the statistic computed from the total set of individual ensembles. This result is apparently due to systematic changes



in  $E(t)$  over time. For this reason it may be instructive, when variations in the mean component are suspected or are of interest, to compare the two estimates of the standard error.

For the  $(N)^{1/2}$ -fold reduction in standard error to hold, it is essential that the background process,  $G(t)$ , which provides the main source of variance, be sampled randomly with respect to its periodic components. It can easily be seen that if  $G(t)$  were a simple sine wave sampled at a constant phase, it would sum linearly as does  $\bar{E}(t)$ . If, on the other hand, alternate samples of the sine wave were  $180^\circ$  out of phase,  $\bar{G}(t) = 0$  for an even number of samples. Any departure from random sampling of the background EEG will be associated with a deviation from the  $(N)^{1/2}$  relation. Ordinarily, the EEG will be sampled randomly if the intervals between onset of successive samples are either (1) long with respect to the lowest frequencies present in the record, or (2) if the interval is varied randomly over a period as long as that of the lowest frequency in the record. It is usually more convenient to rely on a long interval between samples than to randomly vary the intervals. Since EEG frequencies are not precisely periodic, it is not too easy to set up conditions wherein the intrinsic rhythms will be phase-locked to the sampling process for any length of time. However, it is quite important to be aware of the effects associated with periodic sampling, especially at a fairly rapid rate (i.e., faster than 1/sec). The ERP may overlap in time, posing some confusion in identification of component latencies. Physiologic entrainment, or "driving" of the background activity by repetitive stimulation, can also occur in some circumstances. This may or may not represent a significant problem, but the investigator must be aware of the possibility that decreases in the intervals between samples to obtain a larger  $N$  within a fixed time period may be associated with changes in both  $E(t)$  and  $G(t)$  due to physiologic interactions. Perhaps less familiar is a curious type of sampling artifact introduced by taking ensembles at fixed intervals,  $(T)$ . Under these circumstances the frequency  $1/T$ , and its harmonics,  $n/T$ , tend to be retained in the average, whereas intermediate frequencies outside of a band of width  $1/NT$ , where  $N$  represents the number of ensembles, are suppressed. Since frequencies intermediate to  $n/T$  are reduced by a proportion greater than  $(N)^{1/2}$ , this effect may be utilized to reject a particularly troublesome background rhythm. Thus, if the EEG frequency spectrum showed a sharp peak of alpha activity between 8.5 and 9.5 Hz, averaging at 500-msec intervals (2 Hz) would retain the harmonics at 2, 4, 6, 8, 10, . . . Hz and reject the dominant activity. It is important to note, however, that even rather inconspicuous periodic activity at the frequencies,  $n/T$ , will be preserved along with  $\bar{E}(t)$ , so that the results of periodic summing can be rather misleading unless the frequency composition of  $G(t)$  has been defined.

The required accuracy in estimation dictated by the particular experimental lower quality of waveform resolution, detection, as in audiometric amplitude and latency measurements, to-noise ratio of the raw data are rarely been explicitly taken into averaged brain potentials. Often defined by custom or convenience, son, many studies have reported

Many investigators of human averaging computers, and cannot. Instrumental limitations: estimation of variability to a de mental purposes. Simple replica direct, and often quite adequate less time consuming to compute than to compute and display a using a general purpose labora of variance are required, as for provides quite a satisfactory in form. A reasonably good esti selection of an  $N$  appropriate derived from the raw EEG, since is ordinarily contributed by  $G(t)$  standard deviation,  $s$ , of  $G(t)$  is roughly estimated as one half. In the data shown, this is about obtain an estimated standard e same as the directly computed distributed, there is a less than  $\bar{E}(t)$ , deviates from the observe in the epoch. By increasing  $n$  reduced by half.

It should be noted that we have represented independent processing ensemble averages,  $\bar{V}(t)$ , are c the absence of information on independence provides a conse detailed information on the te improve the accuracy of our e


is instructive, when variations in of interest, to compare the two

error to hold, it is essential that des the main source of variance, periodic components. It can easily e sampled at a constant phase, it e other hand, alternate samples  $\bar{G}(t) = 0$  for an even number of npling of the background EEG ie  $(N)^{1/2}$  relation. Ordinarily, the vials between onset of successive o the lowest frequencies present l randomly over a period as long rd. It is usually more convenient s than to randomly vary the in- cisely periodic, it is not too easy rhythms will be phase-locked to e. However, it is quite important periodic sampling, especially at a The ERP may overlap in time, component latencies. Physiologic und activity by repetitive stimu- es. This may or may not represent must be aware of the possibility nples to obtain a larger  $N$  within th changes in both  $E(t)$  and  $G(t)$  less familiar is a curious type of nsembles at fixed intervals,  $(T)$ .  $1/T$ , and its harmonics,  $n/T$ , tend rmediate frequencies outside of a he number of ensembles, are sup-  $n/T$  are reduced by a proportion ed to reject a particularly trouble- EG frequency spectrum showed a nd 9.5 Hz, averaging at 500-msec ics at 2, 4, 6, 8, 10, . . . Hz and tant to note, however, that even the frequencies,  $n/T$ , will be pre- lts of periodic summing can be nposition of  $G(t)$  has been defined.

The required accuracy in estimating the mean ERP component will be dictated by the particular experimental objectives. Thus, a substantially lower quality of waveform resolution may be acceptable for evoked response detection, as in audiometric applications, than in studies requiring precise amplitude and latency measurements. It is rather surprising that the signal-to-noise ratio of the raw data and the required accuracy of resolution have rarely been explicitly taken into account in the design of investigations of averaged brain potentials. Often, the ensemble  $N$  seems to be arbitrarily defined by custom or convenience, rather than by accuracy criteria. For this reason, many studies have reported averaged ERP data of uncertain reliability.

Many investigators of human brain potentials employ special purpose averaging computers, and cannot conveniently make direct variance computations. Instrumental limitations need not, however, seriously impede the estimation of variability to a degree of accuracy sufficient for many experimental purposes. Simple replication of ensemble averages provides the most direct, and often quite adequate, indication of reproducibility. It is often less time consuming to compute and display three averages with an averager, than to compute and display a single average and associated standard error using a general purpose laboratory computer. Unless quantitative measures of variance are required, as for formal tests of significance, the first method provides quite a satisfactory indication of the stability of the mean waveform. A reasonably good estimate of the standard error, which permits selection of an  $N$  appropriate to the desired degree of accuracy, can be derived from the raw EEG, since the major variance of the ensemble average is ordinarily contributed by  $G(t)$ . The method is illustrated in Fig. 4-4. The standard deviation,  $s$ , of  $G(t)$  is its RMS deviation from zero, which can be roughly estimated as one half the average peak-to-peak EEG amplitude. In the data shown, this is about  $10\mu\text{V}$ . Dividing this value by  $(N)^{1/2}$ , 8, we obtain an estimated standard error of  $1.25\mu\text{V}$ , for an  $N$  of 64, which is the same as the directly computed value. Since the ensemble means are normally distributed, there is a less than 1% chance that the true population mean,  $\bar{E}(t)$ , deviates from the observed mean by more than  $\pm 3.25\mu\text{V}$  at any point in the epoch. By increasing the  $N$  to 256, the confidence limits could be reduced by half.

It should be noted that we have been treating the time samples as if they represented independent processes. This is not so, since the values of the ensemble averages,  $\bar{V}(t)$ , are correlated over time when  $\bar{E}(t)$  is present. In the absence of information on this temporal covariation, the assumption of independence provides a conservative estimate of accuracy. If we had more detailed information on the temporal structure of  $G(t)$ , however, we could improve the accuracy of our estimate of  $\bar{E}(t)$ . To illustrate this possibility,






FIG. 4-4. Sample of raw EEG; average visual evoked response,  $\pm$  reference and standard error of the mean.  $N = 64$ . Amplitude calibration EEG:  $50 \mu\text{V}$ . Mean VER,  $\pm$  reference and S.E.:  $1.5 \mu\text{V}$  per division.

let us consider a  $G(t)$  consisting of a simple sine wave of constant frequency. If this waveform is sampled randomly, it can be shown that the RMS deviation will be reduced in the ensemble average in proportion to  $(N^{1/2})$  and that the residual waveform is a sinusoid of the same frequency as the original  $G(t)$ . If a stimulus-evoked  $E(t)$  is present, its waveform may be partially obscured by the residual background activity, the size of which can be estimated as above. In this instance, however, we can precisely specify the form of the noise function over time, so given a sufficient segment of record before the onset of  $E(t)$  to establish the frequency and phase of  $\bar{G}(t)$ , we can extrapolate its waveform through the entire record and thus define  $E(t)$  with perfect accuracy. The application of this technique, where the temporal characteristics of the background (noise) function are known with sufficient accuracy to permit their extraction from the ensemble averages, is known as predictive filtering and has important applications in communications engineering. However, the temporal covariation of the EEG is rarely sufficiently predictable to apply this powerful method of signal extraction. There are certain situations where the noise rhythm is fairly regular and restricted in frequency composition in which this approach can be applied.

#### 4. THE ANALYSIS OF SCALP-RECORD

From an immediate practical standpoint of the EEG and ERP waveforms, the accuracy of the data by judicious selection of which the ERP is partially obscured by artifacts can often be cleaned up by a single excursion as the "true" value of the function is only justified when the frequency is higher than the waveform of interest. Sometimes the interpretation of a large deal of residual alpha activity can be a fact that both  $\bar{E}(t)$  and  $\bar{G}(t)$  are similar in visual shapes can be extrapolated from one another. Whenever ambiguity is preferable to modify the experimental quality. If this is impossible, however, extracted from poor data by the method to do this than to attempt further data in hopes of dredging out information.

A simple technique for evaluating ground activity is the  $\pm$  reference method is especially useful for direct variance computation, as the amplitude and frequency content of the individual ensemble average. This mean component,  $\bar{E}(t)$ , can be alternately adding and subtracting the statistics of the random component reference provides an estimate of standard error, but it provides background fluctuations. It also from the raw EEG, since extreme averaging process. Since the  $\pm$  background derived from the same more valid index of the variable activity obtained from separate channels.

#### E. Frequency Content of the EEG

The prominent periodic features of various efforts to quantify it in the waveform can be characterized



ed response,  $\pm$  reference and standard error  
: 50  $\mu$ V. Mean VER,  $\pm$  reference and S.E. :


le sine wave of constant frequency.  
can be shown that the RMS devia-  
ge in proportion to  $(N^{1/2})$  and that  
he same frequency as the original  
nt, its waveform may be partially  
activity, the size of which can be  
ever, we can precisely specify the  
given a sufficient segment of record  
frequency and phase of  $\bar{G}(t)$ , we can  
entire record and thus define  $E(t)$   
f this technique, where the temporal  
se) function are known with suffi-  
on from the ensemble averages, is  
mportant applications in communi-  
oral covariation of the EEG is rarely  
werful method of signal extraction.  
noise rhythm is fairly regular and  
which this approach can be applied.

From an immediate practical standpoint, the distinctive temporal patterns of the EEG and ERP waveforms often permit a significant improvement in accuracy of the data by judicious smoothing. Thus, "noisy" records in which the ERP is partially obscured by muscle potentials or line frequency artifacts can often be cleaned up by taking the midpoint of their total excursion as the "true" value of the averaged waveform. This sort of correction is only justified when the residual noise is at a substantially higher frequency than the waveform of interest, or, as in the case of 60-Hz activity, represents a deterministic waveform whose distorting effect can be predicted. Sometimes the interpretation of an average ERP which contains a good deal of residual alpha activity can be improved by taking advantage of the fact that both  $\bar{E}(t)$  and  $\bar{G}(t)$  are smooth continuous waveforms whose individual shapes can be extrapolated for a time even when overlapping with one another. Whenever ambiguous data have been obtained, it is always preferable to modify the experimental conditions so as to improve their quality. If this is impossible, however, some useful information may be extracted from poor data by thoughtful "visual filtering." It is much better to do this than to attempt further machine statistical analysis on unreliable data in hopes of dredging out interpretable results.

A simple technique for evaluating the characteristics of residual background activity is the  $\pm$  reference suggested by Schimmel (1967). This method is especially useful for investigators without access to methods for direct variance computation, as it provides information on both the amplitude and frequency content of the background activity present in an individual ensemble average. This method takes advantage of the fact that the mean component,  $\bar{E}(t)$ , can be removed from an ensemble average by alternately adding and subtracting successive ensembles, without affecting the statistics of the random components. As shown in Fig. 4-4, the  $\pm$  reference provides an estimate of variability similar to that provided by the standard error, but it provides a clearer picture of the character of the background fluctuations. It also gives a better estimate than can be derived from the raw EEG, since extreme fluctuations have been smoothed by the averaging process. Since the  $\pm$  reference provides an indication of residual background derived from the same data as the ensemble average, it is a more valid index of the variable components than averages of background activity obtained from separate data samples in which the ERP is not present.

#### *E. Frequency Content of the EEG; Autocorrelation and Spectral Analysis*

The prominent periodic features of the EEG have led investigators to various efforts to quantify it in terms of frequency content. Since any periodic waveform can be characterized as a sum of sinusoidal components differing



in frequency and amplitude, most approaches to quantitative representation of EEG frequency content have utilized some form of Fourier analysis. Early techniques employed tuned analog filters which displayed the amount of activity within a set of narrow frequency bands over the range of predominant EEG rhythms. After World War II the development of signal theory and of digital computers gave rise to alternative digital methods of frequency analysis based upon the autocorrelation function, and its Fourier transform, the power spectrum. Until fairly recently, the extensive computations required to provide reliable power spectra limited this approach to investigators with access to substantial computational resources. However, owing to the development of simplified computational methods, digital EEG frequency analysis is now within the capability of the smaller laboratory computers, as is the use of special purpose digital devices. It is likely that spectral analysis will become more extensively employed, both in the clinical and the research laboratory.

Only a superficial outline of the methods can be attempted here. The reader may consult Dern and Walsh (1963), Mason and Zimmerman (1960, Chapter 6), Blackman and Tukey (1958), and Bergland (1969) for an entry into the relevant literature. We have already defined the autocovariance (Section II, B) as an ensemble statistic which defines the average correlation between two time points in a random process. If the process is stationary, its autocovariance is independent of time so the correlations are defined solely by the difference between two times,  $\tau$ . Ordinarily, it is more convenient to deal with a single stretch of record rather than an ensemble average, in computing the autocovariance, so that ergodicity is also required. The lags for which the cross products are computed across the time sample are determined by the sampling interval and range from 0 (the data multiplied by itself, which is the variance) to some maximum lag  $\tau_m$ . Since in all practical applications the record is of finite length, a progressively longer portion of the record is removed from computation as the lag increases. It is usually recommended that the total lag not exceed 5–10% of the total record. Yet, in order to reflect the frequency content of the record, the lag must be sufficiently long to reflect at least one cycle of the slowest frequency present. Accurate representation will require even longer lags, and thus a proportionately longer total sample. The display of the autocovariance (autocorrelation) computed from a record of finite length is called an autocorrelogram.

To illustrate how an autocorrelogram depicts the frequency content of a periodic waveform, let us consider a simple sine wave (Fig. 4-5A). At zero lag the function is multiplied by itself and possesses its maximum value, which is often set to one, thus expressing the autocovariance in the form of a correlation coefficient. As the sine wave is shifted along its length, the value of the averaged cross products diminishes, reaching a value of  $-1$

#### 4. THE ANALYSIS OF SCALP-RECOR




FIG. 4-5. (A) Illustrates the computation. (B) The autocovariance of a sinusoid containing predominant rhythms at 10 and 20 cycles per second.

when the function is  $180^\circ$  out of phase. The autocovariance of a sine wave is a sinusoid. Any process which contains periodic fluctuations in the autocorrelation function, however, the correlation

Although the autocorrelogram provides a satisfactory quantitative display of EEG "power" content, its Fourier transform, the power spectrum, provides a measure of EEG "power" as a function of frequency, rather than as a function of time. The selection of proper methods for a highly technical matter, as that with the finite sampling procedure, is a program for spectral analysis of EEG specifically tailored to the natural rate estimates. In the computation of the autocorrelogram, the accuracy of estimate at a given lag, and computation

#### F. Special Problems in ERP Analysis

The preceding discussion has dealt with the statistical analysis of human EEG which influence the accuracy of the assessment. It is pointed out that satisfactory assessment of the accuracy of averaging equipment, by estimating the variance or  $\pm$  reference. Investigators with digital computers can obtain more precise estimates of the variance estimates, how-




FIG. 4-5. (A) Illustrates the computation of lagged cross products to obtain the autocovariance. (B) The autocovariance of a sinusoid. (C) Autocorrelogram of an EEG sample containing predominant rhythms at 10 and 20 Hz.

when the function is  $180^\circ$  out of phase, and then again increasing until the sinusoid is again in phase after shifting a full period. The autocorrelation function of a sine wave is a sinusoid with the same period (Fig. 4-5B). Thus, any process which contains periodic components will reflect these as periodic fluctuations in the autocorrelogram. Unless the periodicity is perfectly regular, however, the correlation will die out as the lag increases (Fig. 4-5C).

Although the autocorrelogram can provide an indication of frequency content, its Fourier transform, the power spectral density provides a more satisfactory quantitative display. This is due to the fact that the analysis provides a measure of EEG "power" (actually squared voltage) as a function of frequency, rather than as a function of time as in the correlogram. The selection of proper methods for computation of accurate power spectra is a highly technical matter, as there are several sources of error associated with the finite sampling procedure. The investigator who adopts a particular program for spectral analysis of the EEG should ascertain that it has been specifically tailored to the nature of the data and provides sufficiently accurate estimates. In the computation of power spectra there is always a tradeoff between accuracy of estimate and the practical constraints of record length, sampling rate, and computation time.

#### F. Special Problems in ERP Analysis

The preceding discussion has provided a basic conceptual framework for the statistical analysis of human brain potentials, emphasizing the factors which influence the accuracy of ERP waveform resolution. We have pointed out that satisfactory assessments of reliability can be made with access only to averaging equipment, by estimating the standard error from the raw EEG or  $\pm$  reference. Investigators who possess general purpose laboratory computers can obtain more precise variance measures. It must be emphasized that the variance estimates, however obtained, are more usefully employed

to define the experimental parameters required to provide data of the desired degree of accuracy, rather than as *post hoc* measures of reliability.

As general purpose computers have become more widely available to investigators of human brain potentials, there has been a natural tendency to utilize these resources for more sophisticated quantitative treatment of the data. Approaches developed in communications engineering and applied statistics for signal and multivariate analysis have been applied to EEG and ERP data by several investigators. Among the problems which are being addressed by more elaborate methods are: (1) detection of evoked potentials near threshold for "objective" audiometry, (2) evaluation of the significance of differences in ERP waveform, (3) resolution of the ERP waveform into simpler components, and (4) sorting of ERP wave shapes into classes according to predefined criteria. Each of these analytic approaches has been developed and applied in response to particular research problems, although in some instances concern with elegant methodology seems to have prevailed over experimental perspicacity. A full description and evaluation of these approaches is not feasible in a brief discussion, so only a terse outline and comment will be presented, together with some references to the original literature. Since most of these techniques are more expensive in time and resources than simple application of the statistical methods we have described, the reader will be advised to carefully evaluate the significance of the question being addressed, in relation to the expenditure of analytic effort required. Often it will be profitable to rephrase the problem or alter the experimental approaches to permit less elaborate methods of analysis. Personal experience, supported by an extensive literature, has repeatedly shown that simple experiments designed to ensure the production of reliable brain potential data generally prove more informative and reproducible than more complicated studies which require complex statistical evaluation of the data. Furthermore, analytical procedures which reduce the physiologic data to numerical form and process it without direct monitoring by the investigator deprive the investigator of his most powerful analytical tools—his eye and brain. The absence of the human observer makes it possible for artifacts to enter the analytic mill, and may preclude the discovery of unanticipated features of the data. There is no question that digital computers provide the investigator with a powerful analytic tool. But it is also a rigid and blind one, unless employed with the constant, critical, and creative attention of the investigator. With these caveats in mind, we turn to a brief consideration of some more complex aspects of ERP analysis.

#### 1. DETECTION OF EVOKED POTENTIALS AT PSYCHOPHYSICAL THRESHOLD

The possibility of achieving an objective physiologic index of hearing impairment in infants has stimulated considerable work on "evoked poten-

#### 4. THE ANALYSIS OF SCALP-RECORDED

tial audiometry." Despite early ent that ordinary visual methods for ev are highly unreliable, being assoc "misses" and "false alarms." This more rigorous application of statist tion of the evoked potential data. F to relatively straightforward applic discussed. The essence of the probl from the brain potential statistics sentation of an auditory stimulus. of the mean,  $\bar{V}(t)$ , an increase in autocovariance. These statistics ar of more than one increases the sen: mate time during which the evok attention can be focused on a rathe tics being compared with those of in which additional improvement o by filtering and by periodic avera problem in evoked response audio tative statistical evaluation are dis (in press) who should be consulted

#### 2. EVALUATION OF DIFFERENCES IN

Many investigations have assess with experimental treatment, diag: a host of other variables. These classical EEG studies, in which t differences in physiologic state. W human behavioral physiology, and evaluated seem rather farfetched, in which the reliability of differe portant question. Obviously, the significance of the waveform, th will become. Two main approach form have been employed: (1) u ference between means, and (2) averages obtained under differer preferable, since it provides a p of differences. The "evoked  $t$  te significance across the ensemble permits one to evaluate the relat waveform. Since a large number

quired to provide data of the *de hoc* measures of reliability. become more widely available to here has been a natural tendency sticated quantitative treatment of unctions engineering and applied sis have been applied to EEG and ng the problems which are being : (1) detection of evoked potentials /, (2) evaluation of the significance lution of the ERP waveform into P wave shapes into classes accord- nalytic approaches has been devel- ar research problems, although in odology seems to have prevailed escription and evaluation of these ussion, so only a terse outline and th some references to the original s are more expensive in time and e statistical methods we have de- refully evaluate the significance of on to the expenditure of analytic le to rephrase the problem or alter less elaborate methods of analysis. xtensive literature, has repeatedly e ensure the production of reliable e informative and reproducible than e complex statistical evaluation of dures which reduce the physiologic without direct monitoring by the is most powerful analytical tools— man observer makes it possible for d may preclude the discovery of re is no question that digital com- powerful analytic tool. But it is also a th the constant, critical, and creative e caveats in mind, we turn to a brief spects of ERP analysis.

#### THE PSYCHOPHYSICAL THRESHOLD

ective physiologic index of hearing nsiderable work on "evoked poten-

tial audiometry." Despite early enthusiasm, it is becoming increasingly clear that ordinary visual methods for evoked potential detection near threshold are highly unreliable, being associated with a substantial proportion of "misses" and "false alarms." This situation has suggested the need for a more rigorous application of statistical signal detection methods to evaluation of the evoked potential data. Fortunately this problem seems amenable to relatively straightforward application of some of the measures already discussed. The essence of the problem is to detect a significant departure from the brain potential statistics associated with  $G(t)$ , following the presentation of an auditory stimulus. Thus, we may look for a nonzero value of the mean,  $\bar{V}(t)$ , an increase in the RMS voltage, and a change in the autocovariance. These statistics are independent of one another, so the use of more than one increases the sensitivity of the method. Since the approximate time during which the evoked response may be present is known, attention can be focused on a rather limited segment of the record, its statistics being compared with those of a prestimulus epoch. This is a situation in which additional improvement of the signal-to-noise ratio may be achieved by filtering and by periodic averaging as described earlier. The detection problem in evoked response audiometry and current approaches to quantitative statistical evaluation are discussed by Schimmel, Rapin, and Cohen (in press) who should be consulted for a fuller discussion.

#### 2. EVALUATION OF DIFFERENCES IN ERP WAVEFORM

Many investigations have assessed differences in ERP waveform associated with experimental treatment, diagnostic classification, site of recording, and a host of other variables. These approaches are fundamentally similar to classical EEG studies, in which the ERP data are employed as indices of differences in physiologic state. While this is not an appealing approach to human behavioral physiology, and some of the associations which have been evaluated seem rather farfetched, it must be admitted that situations arise in which the reliability of differences in ERP waveform represents an important question. Obviously, the more one knows about the physiologic significance of the waveform, the more valuable information on changes will become. Two main approaches to evaluating differences in ERP waveform have been employed: (1) use of the  $t$  test for the significance of difference between means, and (2) assessing differences in correlation of averages obtained under different conditions. Of these, the first is clearly preferable, since it provides a point-by-point estimation of the reliability of differences. The "evoked  $t$  test" provides a graphic representation of significance across the ensemble epoch. This is a useful display, since it permits one to evaluate the relationship of significant  $t$  values to the ERP waveform. Since a large number of paired time sample averages are being

evaluated, random sampling errors will produce a few significant values, e.g., 5 out of 100 at the .05 level of confidence. Also, artifactual physiologic signals, such as eye blinks and slow shifts associated with movement and skin potential changes, are frequently not sufficiently reduced by averaging owing to their relatively large size and adventitious (nonrandom) occurrence. These are commonly the cause of significant differences between two averages, a circumstance which may not be apparent unless the temporal sequence of  $t$  values across the entire epoch is evaluated. It must be noted that the successive  $t$  values are correlated owing to the essentially deterministic nature of  $\bar{E}(t)$ . Thus the  $t$ 's will wax and wane in association with specific portions of the two ERP waveforms. Obviously, significant  $t$  values obtained prior to or after the ERP cannot be viewed as meaningful indices of ERP waveforms. We are assuming in this discussion that the variance for each ensemble average has been computed point by point across the epoch, and that the estimated standard error has been derived for each time sample from the pooled variance of the two averages obtained at each point. This is particularly important for small  $N$ , owing to the temporal fluctuation in variance across the epoch. Ordinarily it is well to insist upon a .01 confidence limit for the reliability of ERP differences, as well as requiring a systematic temporal relationship of the significant points to particular ERP features. As always, extreme caution must be exercised in the interpretation of significance. The origin of a reliable difference between averages need not be the particular variable the investigator thinks he is assessing. Nor is a "significant" difference necessarily an "important" one. Although these points are axiomatic in statistical inference, perusal of the literature suggests that they are often forgotten.

Correlational measures to evaluate ERP waveform differences have apparently been adopted because of the simplicity in representation of the relation between two waveforms as a single correlation coefficient, as well as the feasibility of using average ERP without information on the ensemble variance. A product moment correlation is computed between the sets of time-sampled voltages across the epoch of two ensemble averages. Then the correlation between two averages obtained under one condition can be compared with that obtained under another. Objections to this method can be raised. Since the adjacent voltages within the epoch are correlated, the appropriate degrees of freedom to be employed in evaluating the significance of differences are not known. They are certainly very much smaller than the number of sample pairs. This method also provides no information on which segment of the waveform contributes to any observed differences in correlation. Since residual background activity is always present in the averaged records, differences in variance contributed from this source will be indistinguishable from differences in the mean ERPs. Since specific

#### 4. THE ANALYSIS OF SCALP-RECORD

information on the nature of waveforms, the use of simple correlation as well as of questionable reliability.

#### 3. RESOLUTION OF ERP COMPONENTS

There are powerful motives for the use of simple component waveforms. The purpose of this investigation is to define the physical nature of the ERP components, there is no observed waveform which possesses a simple shape. Waveforms possess multiphasic characteristics which are not satisfied to label the peaks and troughs. Latency, amplitude and, occasionally, shape are of interest. Early in the course of our investigation, the laborious and somewhat ineffectual method of averaging and devised a computer technique for the resolution of potential into a set of Gaussian components. A similar method has been used by others and seemed to provide several advantages. It is reducing a set of 400 sample points to a distribution required to define the components. It achieves a good representation of the original data by providing a dynamic display of the components to behold. Unfortunately, all of the component hypothesis seem to be as a sum of simpler curves, although it also makes "mistakes" in curve fitting. It is easily tricked by small differences in choices of components. Although it is a sort of behavior, the result is that the investigator and retains little objectivity.

Another approach to resolution of ERP components was employed by Donchin (1966, 1969) employing a procedure which is sufficiently effective to ensure rather limited resolution. This procedure (1966) to illustrate the method, primarily reflect shifts in latency and amplitude under different conditions. Thus, what was intended to be a rather distorted representation of the original data. The principal components

produce a few significant values, since. Also, artifactual physiologic effects associated with movement and artifacts sufficiently reduced by averaging adventitious (nonrandom) occur significant differences between two epochs be apparent unless the temporal epoch is evaluated. It must be noted owing to the essentially deterministic and wane in association with specimens. Obviously, significant  $t$  values cannot be viewed as meaningful indices in this discussion that the variance for each point by point across the epoch, has been derived for each time sample averages obtained at each point. This owing to the temporal fluctuation in  $t$  values, as well as requiring a systematic set of points to particular ERP features. Exercised in the interpretation of significance between averages need not be thought he is assessing. Nor is a "significant" one. Although these points perusal of the literature suggests that

ERP waveform differences have apparent ambiguity in representation of the relationship correlation coefficient, as well as the relationship without information on the ensemble relationship is computed between the sets of each of two ensemble averages. Then averages obtained under one condition can be compared to another. Objections to this method can arise within the epoch are correlated, the method employed in evaluating the significance are certainly very much smaller than the method also provides no information on contributions to any observed differences in background activity is always present in the significance contributed from this source will be assessed in the mean ERPs. Since specific

information on the nature of waveform differences is almost always desirable, the use of simple correlational techniques seems of very limited value as well as of questionable reliability.

### 3. RESOLUTION OF ERP COMPONENTS

There are powerful motives for trying to dissect the various ERPs into simple component waveforms. Since a major objective of brain potential investigation is to define the physiologic origin and functional significance of the ERP components, there is a strong desire to identify portions of the observed waveform which possess distinctive properties. Since all of the ERP waveforms possess multiphasic configurations, most investigators have been satisfied to label the peaks and valleys, and to apply simple measures of latency, amplitude and, occasionally, area as a means of quantitative analysis. Early in the course of our own research we became dissatisfied with the laborious and somewhat inelegant techniques involved in ERP analysis and devised a computer technique for automatic resolution of an evoked potential into a set of Gaussian waveforms (Vaughan & Hull, 1963). A similar method has been used by Lehman and Fender (1968). This technique seemed to provide several advantages. It was objective, fitting the Gaussian components according to predefined criteria of fit. It was parsimonious, reducing a set of 400 sample points to the three parameters of the Gaussian distribution required to define each of the five or six curves required to achieve a good representation of the ERP. It was elegant and impressive, providing a dynamic display of the curve-fitting process which was a delight to behold. Unfortunately, all of this elegance was illusory. While the Gaussian component hypothesis seems a fairly reasonable one, the representation as a sum of simpler curves, although "objective," is arbitrary. The computer also makes "mistakes" in curve fitting which a human observer would not. It is easily tricked by small differences in waveform into quite different choices of components. Although the computer can be told to avoid that sort of behavior, the result is that the computer assumes the biases of the investigator and retains little of his flexibility. This is a high price to pay for objectivity.

Another approach to resolution of ERP components has been suggested by Donchin (1966, 1969) employing a principal component factor analysis. This procedure is sufficiently elaborate and obscure in its physiologic justification to ensure rather limited application. In the example used by Donchin (1966) to illustrate the method, the "components" disclosed by the analysis primarily reflect shifts in latency of the ERP under the various experimental conditions. Thus, what was intended as a resolution of ERP components turned out to be a rather distorted restatement of obvious variations in the original data. The principal components method will always seek out the

largest source of variance present in the data entering the analysis. Consideration of the actual circumstances of most ERP investigations indicates that the variance contributed by independent fluctuations of individual segments of the  $E(t)$  waveform will almost always be the smallest, ordinarily being exceeded by variance due to residual  $G(t)$ , to overall fluctuations in  $E(t)$ , and to whatever differences in  $E(t)$  are produced by changes in experimental conditions under which the various ensemble averages were collected. It is clear that the identification of ERP components is essentially a physiologic problem. Although it would be helpful to have some reliable procedural shortcut to the simple representation of the complex ERP waveform, we are not justified in utilizing arbitrary criteria, since the resultant "simplifications" may merely obscure the physiologically significant structure of the data. We shall return to this problem in the concluding section of the chapter.

#### 4. WAVESHAPES SORTING

A final problem to which sophisticated computer techniques have been applied is that posed by a desire to sort single ensembles according to their likelihood of containing one or another of two predefined mean components. This has been approached through the method of discriminant function analysis (namely, Donchin, 1969; Donchin, Callaway, & Jones, 1970).

### III. Analysis of the Sources of Scalp-Recorded Potentials

#### A. Statement of the Problem

The potentials recorded at the surface of the scalp represent the sum of activity generated by an enormous number of cellular sources which vary in their contribution to the field sensed by a particular electrode. Any useful interpretation of human brain potentials must take into consideration the main features of the location, size, and orientation of the intracranial sources. Since neural activity temporally associated with the ERP will be present in many brain structures, it is important to know the contribution to the scalp-recorded waveform of the potentials generated within each active site. It is not sufficient to assume, as has been the common practice in electroencephalography, that scalp recordings mainly depict activity from a limited cortical area directly beneath the recording electrodes. When a substantial group of similarly oriented neurons are activated together, a potential field can be set up by volume conduction of extracellular currents at a considerable distance from the generators. The possibility that several structures in different locations may be contributing to the scalp-recorded ERP waveform cannot be overlooked. Since geometrically distinct intra-

#### 4. THE ANALYSIS OF SCALP-RECORDINGS

cranial sources will generate solutions, the spatial configuration of information on their disparate contributions of these differences in scalp distribution of sources is not a primary objective. Contributions from different sources overlap of ERP components are obtained. This is especially important more complex behavioral situations composite waveform which include potentials. Under these circumstances the distribution of the potentials is crucial.

#### B. A Method for Predicting Scalp Potentials

We now turn to a consideration of the sources of the ERP can be generated distribution. The configuration determined jointly by (1) the distribution (2) the geometry and impedance of the sources. Assuming that propagation within cranial tissues is essentially instantaneous forms to the Laplace equation

$$\frac{d^2 V}{dx^2} = 0$$

Thus, if the intracranial charge distribution is known, the resultant scalp potential distribution can be determined. In fact, our knowledge of the relationship between these were to be defined in detail, it is complicated to evaluate numerically to obtain even an approximate solution. Sources of the scalp-recorded potentials and some inferences concerning their contribution associated with specific behavioral situations.

Since a given surface field can be generated by many configurations, it is not possible to determine the intracranial sources from the scalp potentials. Constraints can be placed on the distribution of the external field must remain consistent with physiologic considerations pertaining to intracranial source configurations.

data entering the analysis. Con-  
 nost ERP investigations indicates  
 ent fluctuations of individual seg-  
 always be the smallest, ordinarily  
 al  $G(t)$ , to overall fluctuations in  
 re produced by changes in experi-  
 ensemble averages were collected.  
 omponents is essentially a physio-  
 l to have some reliable procedural  
 the complex ERP waveform, we  
 eria, since the resultant "simplifi-  
 gically significant structure of the  
 e concluding section of the chapter.

d computer techniques have been  
 iple ensembles according to their  
 two predefined mean components.  
 method of discriminant function  
 in, Callaway, & Jones, 1970).

### Scalp-Recorded Potentials

e of the scalp represent the sum of  
 ber of cellular sources which vary  
 y a particular electrode. Any useful  
 s must take into consideration the  
 nd orientation of the intracranial  
 y associated with the ERP will be  
 mportant to know the contribution  
 e potentials generated within each  
 , as has been the common practice  
 ordings mainly depict activity from  
 the recording electrodes. When a  
 neurons are activated together, a  
 conduction of extracellular currents  
 erators. The possibility that several  
 e contributing to the scalp-recorded  
 . Since geometrically distinct intra-

cranial sources will generate somewhat different scalp potential distribu-  
 tions, the spatial configuration of the various ERP components can provide  
 information on their disparate neural generators. It is important to know  
 of these differences in scalp distribution even if identification of intracranial  
 sources is not a primary objective of a particular investigation. Unless the  
 contributions from different sources are differentiated, due to the spatial  
 overlap of ERP components an erroneous measure of amplitude may be  
 obtained. This is especially important in assessing the ERP associated with  
 more complex behavioral situations, since one is often dealing with a  
 composite waveform which includes sensory, motor, and association cortex  
 potentials. Under these circumstances a careful analysis of the spatial dis-  
 tribution of the potentials is crucial.

### B. A Method for Predicting Scalp Potential Distribution

We now turn to a consideration of the manner in which information on  
 the sources of the ERP can be gained from an analysis of the scalp potential  
 distribution. The configuration of the electric field at the scalp surface is  
 determined jointly by (1) the distribution of charge within the brain, and  
 (2) the geometry and impedance characteristics of the brain and its coverings.  
 Assuming that propagation within the volume conductor formed by the  
 cranial tissues is essentially instantaneous, the potential distribution con-  
 forms to the Laplace equation

$$\frac{d^2V}{dx^2} + \frac{d^2V}{dy^2} + \frac{d^2V}{dz^2} = 0$$

Thus, if the intracranial charge and impedance characteristics were known,  
 the resultant scalp potential distribution could, in theory, be computed. In  
 fact, our knowledge of the relevant variables is rather limited, and even if  
 these were to be defined in detail the required computations would be too  
 complicated to evaluate numerically. Nevertheless, it would be of great value  
 to obtain even an approximate indication of the location and size of the  
 sources of the scalp-recorded potentials, for this would enable us to draw  
 some inferences concerning the localization and timing of brain processes  
 associated with specific behavioral sequences.

Since a given surface field can be generated by an infinite variety of source  
 configurations, it is not possible to uniquely define the geometry of intra-  
 cranial sources from the scalp potential distribution. Unless rather stringent  
 constraints can be placed on the possible source geometries, interpretation  
 of the external field must remain ambiguous. Fortunately, anatomical and  
 physiologic considerations permit a substantial simplification of the likely  
 intracranial source configurations. Furthermore, a sufficiently simple geo-

metrical model of the head can be formulated so as to permit a numerical solution of the Laplace equation. It is possible, therefore, to compute the theoretical potential distributions at the scalp surface for the various hypothetical source geometries which conform to reasonable anatomical and physiologic assumptions. By comparing the observed with the predicted distributions, the generator configuration which best conforms to the empirical data can be identified.

In explaining the development and application of this method for identifying the sources of human brain potentials, the geometry and passive electrical properties of the brain and its coverings will be considered first, then the nature of the intracranial sources, and finally the practical inferences which can be drawn from the model.

### C. The Volume Conduction Model

Geometrically, the brain approximates a sphere surrounded by concentric shells which differ in impedance, comprising the meninges, cerebrospinal fluid, skull, and scalp (Fig. 4-6). This model is inaccurate to the extent that the brain departs from a spherical configuration and its coverings are irregular in shape and thickness. Such irregularities are insignificant for the upper half of the brain, but render inferences concerning the inferior portions much less satisfactory. In the latter case complications are introduced by the marked departure of the lower parts of the brain from a spherical shape, as well as the substantial variations in impedance produced by the openings through the base of the skull. Since most recordings of interest are derived from the convexity of the scalp, these defects do not present significant difficulties for practical application of a spherical model. They do, however, demand great circumspection in interpreting the potential distributions which may be expected over the lower portion of the head. This limitation is particularly relevant to the choice of reference electrode placement, since an inactive site away from the brain is desirable. This problem will be considered in more detail following description of the method. Since there are individual differences in average diameter of the head and in thickness of the concentric layers of skull and scalp, as well as regional variations and changes in these measurements during growth, it is necessary to quantitatively evaluate the influence of each of the dimensional variations in particular circumstances.

Laplace's equation is applicable to a volume conductor when steady current flow can be assumed. Since the potential distributions with which we are concerned are time varying and reflect, not steady, but transient current flows within the medium, it is necessary to consider the extent to which the assumption of a potential distribution comparable to that existing

## 4. THE ANALYSIS OF SCALP-RECORDED




FIG. 4-6. Representation of the head in sagittal section approximated to a spherical configuration. The radius (N) and intracranial structures are based on empirical data. Dimensions are to be expected.

in a steady state can be justified. This model was applied by Rush and Heppner (1967), who conclude that it can be applied with reasonable accuracy when considering the main uncertainty in the assumption that the impedance is resistive. The presence of a significant inductive component in the phase of the waveforms at the scalp is negligible within the range of frequencies of interest. Although the resistivity measurements are available especially for the skull, the range of variations can be computed. It is known that the conductivity of the structures differs somewhat, and it is not a uniform medium in fiber direction within the white matter. However, the model can be neglected when dealing with potentials on the scalp surface. Only when the potentials are being considered will these effects be considered. The selection of appropriate scalp and intracranial sites in man and adult is discussed by Rush and Heppner (1967) and have followed.

lated so as to permit a numerical possible, therefore, to compute the scalp surface for the various hypothesis to reasonable anatomical and the observed with the predicted in which best conforms to the em-

plication of this method for identifications, the geometry and passive coverings will be considered first, and finally the practical inferences

as a sphere surrounded by concentric covering the meninges, cerebrospinal model is inaccurate to the extent that irregularities are insignificant for the upper portions concerning the inferior portions these complications are introduced by the curvature of the brain from a spherical shape, impedance produced by the openings in the skull. The most recordings of interest are derived from the surface defects do not present significant deviations from a spherical model. They do, however, complicate the interpretation of the potential distributions in the posterior portion of the head. This limitation in reference electrode placement, since it is not always desirable. This problem will be a major consideration of the method. Since there are variations in the thickness of the skull as well as regional variations and changes in shape, it is necessary to quantitatively account for dimensional variations in particular

as a volume conductor when steady state potential distributions with which we must deal, and reflect, not steady, but transient distributions. It is necessary to consider the extent to which the potential distribution is comparable to that existing




FIG. 4-6. Representation of the head in sagittal and coronal section to illustrate the approximation to a spherical configuration. The relationships between external landmarks (nasion, inion) and intracranial structures are based upon typical anatomical material. Individual variations in dimensions are to be expected.

in a steady state can be justified. This question has been evaluated by Plonsey and Heppner (1967), who concluded that the quasistationary model can be applied with reasonable accuracy to the kind of biological system we are considering. The main uncertainty and potential source of error concerns the assumption that the impedance of the brain and its covering is purely resistive. The presence of a significant capacitance would produce a shift in the phase of the waveforms at the scalp surface compared with the intracranial potentials. However, most investigators believe that capacitive impedance is negligible within the range of frequencies present in the EEG, although detailed measurements do not seem to be available. In the absence of a significant capacitive impedance, the current flow and, accordingly, the potential distribution, is defined by the tissue resistivities. Estimates of these values are available from studies in experimental animals. Although the resistivity measurements are not defined with precision, especially for the skull, the range of values can be defined and the effects of variations can be computed. It is known that resistivity of the various cerebral structures differs somewhat, and it also varies in relation to the predominant fiber direction within the white matter. Thus, the brain is neither an homogeneous nor an isotropic medium as is required for an exact application of a simple volume conduction model. These variations from the ideal model can be neglected when dealing with cortical sources and potential distributions on the scalp surface. Only when intracerebral potential distributions are being considered will these effects assume significant proportions. The selection of appropriate scalp and skull parameters for modeling the human adult is discussed by Rush and Driscoll (1968), whose values we have followed.

#### D. Definition of the Intracranial Generators

In order to evaluate the Laplace equation, it is necessary to specify the distribution of charge within the conductive medium. Although we know a good deal about the main neuroelectric processes at the cellular level, it is not possible to translate this information into general statements about the contributions of specific cellular processes to the external potential fields. Nevertheless, certain anatomical and physiologic considerations permit a gross delineation of the size, location, and orientation of intracerebral generators, which will permit some useful predictions concerning the distribution of scalp potentials.

The most important generalization which can be drawn concerning intracranial potential sources is derived from the principle of charge conservation and the consequent dipolar nature of bioelectric generators. Since net charge is neither created nor destroyed within the body, free charges must appear as equal numbers of negatively and positively charged ions. If the ions are randomly disposed, as in an electrolyte, no potential gradient will exist within the volume of solution. Within the brain, however, ionic charges are not randomly distributed, but are constrained by semipermeable membranes. These permit the segregation of ionic species through the expenditure of metabolic energy. The resulting distribution of charge across cell membranes produces the resting potential characteristic of living cells. The equal and opposite charges on each cell membrane represent a dipole layer, which sets up an extracellular electric field. Efforts have been made to model the potential distribution associated with some aspects of neuronal geometry (Holmes & Houchin, 1967; Rall & Shepherd, 1968). As yet, however, there has been no detailed evaluation of the extracellular fields generated by cortical neurons, as this requires more detailed information on their patterns of membrane depolarization and hyperpolarization under functional conditions than is currently available. Despite the limited data on the details of intracortical electrodynamics, the main features of the fields due to cortical activity, which will be sensed at distant electrodes, can be deduced from the characteristic configuration of dipole fields. Due to the equal and opposite charges constituting the dipole (or dipole layer), a zero potential plane will pass perpendicular to the axis of the dipole, separating zones of positive and negative potential. The field maxima are in the axis of the dipole. Thus, whenever the anatomical circumstances produce a directional preponderance of dipole orientation, a net external field will be generated. Otherwise, the positive and negative dipole charges cancel each other. In the cortex, the radial symmetry of neurons establishes an isopotential surface in the plane of the cortex, but the asymmetrical orientation of cells from surface to depth permits a net dipole to exist in this direction. The cortex

#### 4. THE ANALYSIS OF SCALP-RECORD

can be expected to act as a time-will reflect the magnitude and orientation of the detailed charge distribution and the distribution of changes in membrane potential. This can be represented by a single equivalent dipole, whose magnitude, polarity with respect to the cortex. These expectations have been supported by data. Studies by Goldring and colleagues (Goldring, Aras, & Weber, 1970) have demonstrated that the evoked potentials recorded from the scalp show a characteristic inversion in polarity compared with those taken from the cortex. This inversion of polarity has been demonstrated by Celesia and Pulletti (1969), and by others in forming a voluntary hand movement.

The geometry of the cortex can be modeled as a spherical cap.

Case A (Fig. 4-7A) is a dipole layer representing the brain, which forms a circular "cap" subtending a solid angle  $\Omega$ . Case A models surface cortex with a dipole layer on its surface.

Case B (Fig. 4-7B) represents a dipole layer on a spherical surface. This is modeled as a plane bounded by arcs at specified distances from the center, forming an angle,  $\theta$ , with one another.

A reasonable geometrical representation can be achieved by a sum of these two cases, representing a set of hypothesized active areas. A net external field will be generated in a circumstance that all sulci are bounded by arcs, so whenever the cortex on both sides of a sulcus will cancel each other.

#### E. Representation of Specific Int

The simplest hypothesis concerning cortical potentials identifies them with the potentials of sensory modalities. As illustrated in the diagrams of Fig. 4-8, which show the primary somatosensory, auditory, and visual cortex, a simplified but reasonable approximation of the particular cortical area has been considered. The cortical material and cytoarchitecture

tion, it is necessary to specify the ionic medium. Although we know a great deal about the processes at the cellular level, it is difficult to make general statements about the relationship between the external potential fields and the physiological considerations. Physiological considerations permit a number of predictions concerning the distribution of charges and orientation of intracerebral dipoles.

One prediction that can be drawn concerning intracerebral dipoles is the principle of charge conservation. Since the brain contains electric generators. Since net charge is conserved in the body, free charges must appear in equal and opposite quantities. If the ions are free, no potential gradient will exist in the brain, however, ionic charges are confined by semipermeable membranes. The movement of ions through the expenditure of energy is characteristic of living cells. The equal and opposite charges represent a dipole layer, which has been modeled in some aspects of neuronal geometry (Shepherd, 1968). As yet, however, the extracellular fields generated by dipoles are not detailed information on their patterns of polarization under functional conditions. Despite the limited data on the details of the main features of the fields due to distant electrodes, can be deduced from the distribution of dipole fields. Due to the equal and opposite charges (or dipole layer), a zero potential exists in the axis of the dipole. In some instances produce a directional pattern. The external field will be generated. The dipole charges cancel each other. In some instances establishes an isopotential surface. The symmetrical orientation of cells from the dipole to exist in this direction. The cortex

can be expected to act as a time-varying dipole layer, whose external field will reflect the magnitude and orientation of the net charge pairs. Although the detailed charge distribution will be very complex, reflecting the distribution of changes in membrane polarization, the resultant of these effects can be represented by a single equivalent dipole layer which will vary in magnitude, polarity with respect to the surface, and apparent depth within the cortex. These expectations have been amply confirmed by experimental data. Studies by Goldring and colleagues (Stohr & Goldring, 1969; Goldring, Aras, & Weber, 1970) have demonstrated in man and in experimental animals that the evoked potentials recorded from somatosensory cortex show a characteristic inversion in polarity when surface cortical recordings are compared with those taken from the subjacent white matter. A similar inversion of polarity has been shown across human auditory cortex by Celestia and Pulletti (1969), and across the motor cortex of monkeys performing a voluntary hand movement (Vaughan, Bossom, & Gross, 1970).

The geometry of the cortex can be reduced to two simple representations:

Case A (Fig. 4-7A) is a dipole layer concentric to the surface of the sphere representing the brain, which for computational simplicity is taken to be a circular "cap" subtending a solid angle,  $\phi$ , at a distance,  $r_d$ , from the center. Case A models surface cortex when the dipole layer is 2-3 mm beneath the surface.

Case B (Fig. 4-7B) represents sulcal cortex, perpendicular to the brain surface. This is modeled as a plane surface shaped as an annular sector bounded by arcs at specified distances from the center ( $r_1, r_2$ ) and by radii forming an angle,  $\theta$ , with one another.

A reasonable geometrical representation of any cortical source can be achieved by a sum of these two cases, tailored to conform with the anatomy of hypothesized active areas. A further simplification is permitted by the circumstance that all sulci are bounded by cortex in geometrical opposition, so whenever the cortex on both sides of a sulcus is active, the external fields will cancel each other.

#### *E. Representation of Specific Intracranial Sources*

The simplest hypothesis concerning the generators of the evoked potentials identifies them with the primary cortical projections of the various sensory modalities. As illustrations of the model source geometries, consider the diagrams of Fig. 4-8, which provide a schematic representation of the primary somatosensory, auditory, and visual cortex. In each instance a simplified but reasonable approximation to the configuration of the particular cortical area has been constructed in accordance with gross anatomical material and cytoarchitectural maps.




FIG. 4-7. Diagrams of simplified dipole layer source configurations. (A) A circular cap at a radial distance  $r_d$ , subtending a solid angle  $\phi$ . The radii corresponding to brain ( $r_b$ ), skull ( $r_s$ ), and scalp ( $r_c$ ) are also indicated. (B) The portion of a sector bounded by two radii ( $r_1, r_2$ ), subtending a central angle  $\theta$ .

1. SOMATOSENSORY CORTEX

The main somatosensory cortical projections occupy the surface and anterior bank of the postcentral gyrus according to the well-known somatotopic pattern. Musculoskeletal afferents are believed to reach the precentral motor cortex as well. In the anteroposterior dimension, the surface projections of pre- and postcentral gyri subtend about  $10^\circ$  each. The coronal position and extent depend upon the particular body region stimulated.

2. AUDITORY CORTEX

The primary auditory projections are buried within the sylvian fissure on the supratemporal plane. A model of this region is provided by an annular sector subtending an angle of  $20^\circ$ , bounded by two arcs at three quarters and half of the distance to the center of the sphere (Geschwind & Levitsky, 1968; Celesia & Puletti, 1969).

4. THE ANALYSIS OF SCALP-RECORD




FIG. 4-8. Diagrammatic representation of somatosensory, visual, and auditory cortex somatosensory projections are considered are represented by a case A model. The at form to case B. Striate cortex presents a c configurations.

3. VISUAL CORTEX



The primary visual projection a of the sensory projection area, at test of the model. The central re the surface of the occipital pole, a cal axis and about twice that hor retina projects to cortex lying wit fissure according to a recognized infolded visual areas can be mode cruciate arrangement.

Additions and refinements of th due to other source configurations elaborate hypotheses or by partic the quantitative estimates obtaine

F. Computations from the Model

1. CASES A AND B COMPARED—U

In Fig. 4-9 the potential distrib dipole of unit strength are displa



ce configurations. (A) A circular cap at a radii corresponding to brain ( $r_b$ ), skull ( $r_s$ ), of a sector bounded by two radii ( $r_1, r_2$ ),

jections occupy the surface and according to the well-known somato- are believed to reach the precentral rior dimension, the surface projec- l about 10° each. The coronal posi- ar body region stimulated.

e buried within the sylvian fissure his region is provided by an annular ed by two arcs at three quarters the sphere (Geschwind & Levitsky,




FIG. 4-8. Diagrammatic representation of idealized intracranial sources comprising primary somatosensory, visual, and auditory cortex. Projection areas are indicated by stippling. The somatosensory projections are considered to include both precentral and postcentral gyri, and are represented by a case A model. The auditory projections in the supratemporal plane conform to case B. Striate cortex presents a complex configuration requiring both case A and B configurations.

### 3. VISUAL CORTEX

The primary visual projection area presents the most complex anatomy of the sensory projection area, and thus provides a particularly valuable test of the model. The central retinal projections occupy a small area at the surface of the occipital pole, a region subtending about 20° in the vertical axis and about twice that horizontally (Polyak, 1957). The peripheral retina projects to cortex lying within the sagittal sulcus and the calcarine fissure according to a recognized retinotopic pattern (Holmes, 1945). The infolded visual areas can be modeled by a set of annular sectors having a cruciate arrangement.

Additions and refinements of the model can be made to evaluate the fields due to other source configurations as dictated by the need to evaluate more elaborate hypotheses or by particular empirical results. We now consider the quantitative estimates obtained from the model.

#### F. Computations from the Model

##### 1. CASES A AND B COMPARED—UNIT DIPOLE

In Fig. 4-9 the potential distributions computed for a single infinitesimal dipole of unit strength are displayed for the two orientations as a function

of depth beneath the surface of the innermost sphere, representing the brain. Note the bell-shaped distribution of the radial dipole and the characteristic biphasic configuration of the tangential dipole. The outermost dipole in both cases is situated 2 mm beneath the surface to simulate an equivalent cortical dipole. In this position the radial dipole contributes two and one half times as much as the tangential dipole to the surface potential. As the dipole is moved deeper, the maximum amplitude of the surface potential diminishes sharply, with the potential for a dipole placed in the center of the sphere being one-fifteenth the amplitude of the radially oriented "cortical" dipole, and one-sixth that of the tangential dipole at the same depth. Also note the shift in the location of the potential maximum with increasing depth of the tangential dipole.

## 2. EFFECTS OF CHANGES IN PARAMETERS OF THE MODEL

Since the values of the dimensions and impedances of the brain and its coverings are approximate average measures, subject to unknown errors due to individual differences and variations within each subject, it is important to have some information on the impact of changes in these values on the potential distribution estimates. The main uncertainties are in the thickness and impedance of the skull, whose mean values have been selected to conform with the estimates by Rush and Driscoll (1968): 5 mm and 18,000  $\Omega$ -cm, respectively. Calculations indicate that a 10% alteration in the




FIG. 4-9. Computed surface amplitude distributions for unit dipoles in case A and B configurations at varying angular distances from the dipole axis. The curves represent field strengths for dipoles located at the center of the sphere and 50, 62.5, 75, 87.5, and 97.5% of the distance to the surface of the inner sphere which represents the brain.

## 4. THE ANALYSIS OF SCALP-RECORD

maximum potential amplitude at 1.5 mm change in skull thickness. Thus, the model is fairly insensitive to the skull parameters. Another presence of the CSF between brain and medium surrounds the brain with a layer that is normally quite thin, especially over atrophy, however, the subarachnoid space turns out that the effects of CSF to increasing the skull thickness. This contribution due to this layer can be considered to evaluate the distribution in a particular region. This contribution can be carried out using the same model as for moving the dipole the required computation is a simple maneuver which provides sufficient accuracy and reduces the required computation.

## 3. EFFECTS OF GENERATOR SIZE

The maximum amplitudes of the source dimensions are depicted in the figures. The dipole cap (case A) is shown in the figure. In case B the annular sector extends to the center. Note that the maximum amplitude for case A for comparable angular distances is by the sulcal cortex to the scalp potential is relatively insignificant compared to the strength of the intracranial generator. This contribution to the scale the computed distributions is shown in the figure (Fig. 4-11) so as to permit comparison of potential distributions.

## G. Application of the Model to E

In order to evaluate the source locations must be compared with the order to obtain meaningful scalp potentials. Care must be paid to selection of an appropriate electrode spacing, and proper identification of the electrode placement.



### 1. REFERENCE ELECTRODE PLACE

A valid potential distribution must be inactive with respect to the E

innermost sphere, representing the field of the radial dipole and the characteristic dipole. The outermost dipole is on the surface to simulate an equivalent dipole. The inner dipole contributes two and one-half times as much to the surface potential as the outer dipole. The amplitude of the surface potential is a function of the dipole placed in the center of the sphere. The field of the radially oriented "concentric" dipole at the same depth. The surface potential maximum with increasing

#### OF THE MODEL

and impedances of the brain and its resistances, subject to unknown errors due to variations within each subject, it is important to know the effect of changes in these values on the surface potential. The uncertainties are in the thickness of the skull. Values have been selected to conform with Driscoll (1968): 5 mm and 18,000  $\Omega$ . It is noted that a 10% alteration in the



curves for unit dipoles in case A and B configurations. The curves represent field strengths at 50, 62.5, 75, 87.5, and 97.5% of the distance from the dipole to the scalp surface.

maximum potential amplitude at the scalp would be produced either by a 1.5 mm change in skull thickness or by a 6000- $\Omega$  deviation of resistivity. Thus, the model is fairly insensitive to reasonable errors or fluctuations in the skull parameters. Another possible source of error is presented by the presence of the CSF between brain and skull. This relatively low impedance medium surrounds the brain within the subarachnoid space, which is ordinarily quite thin, especially over the gyral surfaces. In subjects with brain atrophy, however, the subarachnoid space may enlarge significantly. It turns out that the effects of CSF layer thickness are quantitatively similar to increasing the skull thickness. Under normal circumstances the attenuation due to this layer can be considered to be negligible. Should it be wished to evaluate the distribution in a pathological case, the three-shell computation can be carried out using the appropriate value for CSF resistivity, or by moving the dipole the required distance deeper within the inner sphere, a maneuver which provides sufficiently accurate results and substantially reduces the required computation.

#### 3. EFFECTS OF GENERATOR SIZE

The maximum amplitudes of the distributions computed for varying source dimensions are depicted in Fig. 4-10 for the two dipole layer orientations. The dipole cap (case A) is 2 mm below the surface of the inner sphere. In case B the annular sector extends from 2 mm below the surface, halfway to the center. Note that the maxima in case B are roughly 10% of those in case A for comparable angular dimensions. This means that the contribution by sulcal cortex to the scalp potential distribution will ordinarily be relatively insignificant compared to that of surface cortex. Since the actual strength of the intracranial generators is usually not known, it is useful to scale the computed distributions for case A to a common maximum amplitude (Fig. 4-11) so as to permit convenient comparison with empirical potential distributions.

#### G. Application of the Model to Empirical Potential Distributions

In order to evaluate the source geometry, their theoretical field configurations must be compared with empirical ERP amplitude distributions. In order to obtain meaningful scalp potential maps, meticulous attention must be paid to selection of an appropriate reference electrode, adequate electrode spacing, and proper identification and measurement of ERP components.

##### 1. REFERENCE ELECTRODE PLACEMENT

A valid potential distribution map requires that the reference electrode be inactive with respect to the ERP under study, as well as being free from




FIG. 4-10. Relative maximum amplitudes of the surface fields generated by case A and B generators of different sizes. The case A generators are circular caps located 2 mm beneath the surface of the inner sphere to simulate cortical sources. The case B generators extend from 50 to 97.5% of the distance from the center of the sphere (appropriate for simulating the mesial striate cortex).




FIG. 4-11. Field distributions for case A generators scaled to a common maximum amplitude. These distributions may be compared against empirical potential distributions to estimate the angular extent of a surface cortical source. Curves represent sources of 6, 12, 24, 48, 72, 96, 120, and 180°.


#### 4. THE ANALYSIS OF SCALP-RECORDED

extraneous electrical activity which requirement is often difficult to meet. Since the brain potential is tiny, other physiologic signals such as muscle activity which may be picked up by the body must be eliminated. Common to both electrodes of the EEG are moved further apart. If the electrodes are moved further apart, the signal appears as a large interference which may also be incompletely rejected. EEG recording are ordinarily placed on the ear lobes or mastoid process. If activity from the temporal lobes is recorded, reference to brain activity. A number of methods have been tried, including tip of the nose, forehead, sternum and vertebra prominens. In the latter two, the active one are linked through the earlobe. This has its own problems. Activity, so unless ocular fixation is maintained, contain large deviations which may be minimized in cooperative subjects with a chin rest. This is rather inconvenient and is not ideal in fields whose maxima are axial. Evoked potential. The average reference. Extensive time-locked activity which is required. Dictate great care in selection. Eye movements can be eliminated, the ears are most often used due to their proximity. They will be sufficiently inactive for measurement if activity is not present in the temporal region.

#### 2. ELECTRODE ARRAYS

In the average adult an electrode array is required to provide an adequate resolution. For topographic maps, even closer placements may be necessary. They constitute the minimum practical number of electrodes. This will be adequate separation. On one side of the head, including the earlobes, about 20 electrodes. In recording of a single channel, it may be necessary to make repeated runs. This requires a large number of available amplifier channels. Under

G. 4-10. Relative maximum amplitudes of the surface fields generated by case A and B generators of different sizes. The case A generators are circular caps located 2 m beneath the surface of the inner sphere to simulate cortical sources. The case B generators extend from 50 to 97.5% of the distance from the center of the sphere appropriate for simulating the mesial striate cortex).




Curves scaled to a common maximum amplitude. Circular potential distributions to estimate the represent sources of 6, 12, 24, 48, 72, 96, 120,

extraneous electrical activity which might obscure the brain potentials. This requirement is often difficult to meet due to the nature of differential amplification. Since the brain potential fluctuations at the scalp surface are so tiny, other physiologic signals such as the EKG and electrical interference picked up by the body must be eliminated through the rejection of potentials common to both electrodes of the differential pair. Unfortunately, as the electrodes are moved further apart, the EKG is no longer identical at both electrodes and appears as a large interfering potential. Line voltage artifact may also be incompletely rejected. For this reason reference electrodes for EEG recording are ordinarily placed somewhere on the head, usually on the ear lobes or mastoid process. It is known that these placements pick up activity from the temporal lobes, so they are not entirely inactive with reference to brain activity. A number of alternatives to these placements have been tried, including tip of the nose, chin, a pair of electrodes placed on the sternum and vertebra prominens linked through a potentiometer to balance out the EKG, and finally an "average" reference in which all electrodes but the active one are linked through appropriate resistances. Each of these references has its own problems. The nose picks up electrooculographic activity, so unless ocular fixation can be maintained, the placement will contain large deviations which may obscure the activity being studied. The chin usually contains a good deal of EMG activity, but this can be eliminated in cooperative subjects with practice. The sternovertebral reference is rather inconvenient and is not inactive with respect to intracranial potential fields whose maxima are axially oriented, such as that of the auditory evoked potential. The average reference appears objectionable due to the extensive time-locked activity which it will pick up. All of these considerations dictate great care in selection of an appropriate reference. When eye movements can be eliminated, the nose may be a good choice. The linked ears are most often used due to their relative freedom from artifacts, and will be sufficiently inactive for many purposes, providing time-locked activity is not present in the temporal regions or in the postauricular muscles.

## 2. ELECTRODE ARRAYS

In the average adult an electrode spacing of not more than 5 cm is required to provide an adequate resolution of potential gradients. For more detailed maps, even closer placements may be desirable. Ordinarily, 2.5 cm will constitute the minimum practical spacing using conventional scalp electrodes. This will be adequate separation for use in infants. Complete coverage of one side of the head, including a sagittal chain of 7 electrodes, requires about 20 electrodes. In recording from a large number of electrodes, it may be necessary to make repeated runs with subsets equal to the number of available amplifier channels. Under these circumstances, an electrode at or



near the expected potential maximum should be included in all runs to permit the data to be scaled against the records from a common placement and thus correct for variations in amplitude which may be present in the different runs. It should be noted that the standard international EEG electrode array is not satisfactory for obtaining potential maps, as the placements are too far apart. The principle of proportionality employed in this system should be preserved, however, since this permits a ready conversion to the angular size of a cortical generator and its scalp distribution can be related to distances measured on the surface of the scalp. In the average adult a distance of 2 cm on the scalp roughly corresponds to  $10^\circ$  in angular dimension in the sagittal plane. Due to the smaller diameter in the coronal plane (Fig. 4-6), the distance on the scalp subtending the same central angle may be somewhat less. Appropriate corrections will have to be made to suit the head of the individual subject.

### 3. IDENTIFICATION AND MEASUREMENT OF ERP COMPONENTS

Once a suitable set of ERP recordings which accurately depicts the scalp potential distribution has been obtained, it is necessary to reduce the time-varying waveforms into isopotential contour maps, each of which represents a component generated by a single source. Since there may be considerable spatial and temporal overlap of the various ERP components, the identification of peaks representing activity with a common intracranial origin must be made with great care. Also, the amplitude measurements must take into consideration the possible distortion produced by overlapping of components. The main criteria for identification of a homogeneous component are constant latency and a monotonic amplitude decrement from a single voltage maximum. Whenever consistent shifts in peak latency or departures from a smooth variation in amplitude can be identified, an overlap of components must be assumed to be present. Dissection of these combinations will often challenge the ingenuity and patience of the investigator. But by diligent inspection of the entire montage of ERPs, supplemented by recordings obtained from several subjects and, when necessary, by data obtained under different experimental conditions, a reliable pattern of componentry can usually be identified and amplitude measurements undertaken. Unfortunately, it is not always easy to decide what measurements are most appropriate. The initial component of the ERP waveform can be measured from the prereponse baseline. Later components are less readily measured with respect to the baseline, however, as different amounts of positive or negative bias may have been introduced by earlier components having a different distribution. In the simplest and least ambiguous cases, successive peaks of the ERP waveform will possess a similar distribution over the scalp, permitting peak-to-peak measurements to be made. Systematic maps





FIG. 4-12. (A) Set of auditory evoked response. Electrode placements for mapping are indicated. Plot of major negative-positive deflection.


ould be included in all runs to  
 cords from a common placement  
 ude which may be present in the  
 standard international EEG elec-  
 ; potential maps, as the placements  
 tionality employed in this system  
 permits a ready conversion to the  
 s scalp distribution can be related  
 the scalp. In the average adult a  
 responds to  $10^\circ$  in angular dimen-  
 nner diameter in the coronal plane  
 nding the same central angle may  
 s will have to be made to suit the

ERP COMPONENTS

which accurately depicts the scalp  
 it is necessary to reduce the time-  
 our maps, each of which represents  
 e. Since there may be considerable  
 ous ERP components, the identi-  
 with a common intracranial origin  
 amplitude measurements must take  
 a produced by overlapping of com-  
 ion of an homogeneous component  
 mplitude decrement from a single  
 shifts in peak latency or departures  
 an be identified, an overlap of com-  
 . Dissection of these combinations  
 atience of the investigator. But by  
 : of ERPs, supplemented by record-  
 , when necessary, by data obtained  
 , a reliable pattern of componentry  
 de measurements undertaken. Un-  
 ecide what measurements are most  
 he ERP waveform can be measured  
 mponents are less readily measured  
 as different amounts of positive or  
 ed by earlier components having a  
 nd least ambiguous cases, successive  
 sses a similar distribution over the  
 ements to be made. Systematic maps



(A)



(B)

FIG. 4-12. (A) Set of auditory evoked responses along a coronal line from vertex to mastoid. Electrode placements for mapping are indicated. Reference on tip of nose. (B) Isopotential plot of major negative-positive deflection.




FIG. 4-13. Amplitude distributions of ERP along a sagittal line. VER (P100): visual evoked response component peaking near 100 msec. VER (P200): visual evoked response component peaking near 200 msec. Note saddle-shaped distribution indicating the presence of two distinct sources. ACP (vis): association cortex potential; positive wave peaking at about 400 msec obtained during a visual discrimination task. SER (leg): somatosensory evoked response to electrical stimulation of the common peroneal nerve.

of all major ERP components taking these interactions into careful account have not yet been obtained, so there is considerable room for further investigation in this area.

Having constructed an isopotential map, such as that depicted in Fig. 4-12, one is in a position to assess the configuration and extent of the intracranial source. It is convenient to take a series of amplitude sections along the main dimensions of the contour map, as shown for several empirical distributions in Fig. 4-13. When the distributions are bell shaped, application of the surface cortical generator model (case A) is appropriate. By comparing the shape of the empirical distribution with the family of theoretical curves corresponding to sources of varying angular extent, the appropriate generator size can be estimated.

In making this comparison, the anatomical position of the putative generators must be kept in mind. Usually there will be bilaterally symmetrical intracranial sources whose scalp distributions will sum. For this reason, the amplitude gradient furthest from the midline, or from the contribution of other possibly overlapping potentials, must be employed to correctly estimate the potential distribution. When the centers of the overlapping dis-


#### 4. THE ANALYSIS OF SCALP-RECORDED

tributions have been appropriately summed, which should produce a specific hypotheses could be made (Ritter, 1968; Vaughan, 1969). This estimate the location and size of the Potentials generated by sources presented by the case B model, have also of this configuration are provided by projections of the peripheral retina t analysis of the auditory evoked potential in the supratemporal plane (Fig. 4-8 Ritter (1970), but these conclusions and Marshall (1971). The bone of con electrode employed to obtain the p trates the usefulness of a quantitative selection of an appropriate reference vertebral reference employed by Ko nose reference used in the earlier stud from the dipole model to actually be tion of the maximum potential gener-

Intracranial recordings are of great predictions drawn from the volume c are also necessary to establish the actuals, which are known to vary substantially from chronically implanted primates and complexities which cannot be re; ings will also require direct probing c

The somatosensory evoked response from the human cortex, and some with that of scalp-recorded potentials Domino, Matsouka, Waltz, & Coope & Goldring, 1969). These data indicate to 25% that of the cortex. The large recordings made with the skull open scalp response. Giblin's data are responses both before and after crani response was about 15% and postoperative response recorded at surgery. The c the model on the basis of these am

SER LEG (P200)



a sagittal line. VER (P100): visual evoked  
(P200): visual evoked response component  
distribution indicating the presence of two dis-  
til; positive wave peaking at about 400 msec  
(leg): somatosensory evoked response to  
e.

se interactions into careful account  
considerable room for further in-

map, such as that depicted in Fig.  
figuration and extent of the intra-  
series of amplitude sections along  
up, as shown for several empirical  
distributions are bell shaped, applica-  
model (case A) is appropriate. By  
distribution with the family of theo-  
f varying angular extent, the appro-

atomical position of the putative  
y there will be bilaterally symmetri-  
distributions will sum. For this reason,  
e midline, or from the contribution  
ls, must be employed to correctly  
n the centers of the overlapping dis-

tributions have been appropriately positioned, the theoretical curves can be summed, which should produce a match with the empirical distribution. In the case of the sensory evoked potentials and the motor potentials, specific hypotheses could be made concerning their probable intracranial sources to be tested against the empirical data (namely, Vaughan, Costa, & Ritter, 1968; Vaughan, 1969). This technique has also been employed to estimate the location and size of the generators of the association cortex potentials, which were not predicted beforehand (Vaughan & Ritter, 1970). Potentials generated by sources perpendicular to the scalp surface, represented by the case B model, have also been studied. The two clearest examples of this configuration are provided by the primary auditory cortex and the projections of the peripheral retina to the mesial occipital cortex. An analysis of the auditory evoked potential distribution, consistent with generators in the supratemporal plane (Fig. 4-8), has been presented by Vaughan and Ritter (1970), but these conclusions have been disputed by Kooi, Tipton, and Marshall (1971). The bone of contention is the inactivity of the reference electrode employed to obtain the potential maps. This controversy illustrates the usefulness of a quantitative theoretical model to assist in the selection of an appropriate reference placement. The noncephalic sternovertebral reference employed by Kooi *et al.* to refute the inactivity of the nose reference used in the earlier study appears on the basis of computations from the dipole model to actually be the active one, since it lies in the direction of the maximum potential generated within the auditory cortex.

Intracranial recordings are of great help in supporting and extending predictions drawn from the volume conduction model. Direct observations are also necessary to establish the actual magnitude of the cortical potentials, which are known to vary substantially from area to area in recordings from chronically implanted primates (Vaughan & Gross, 1969). Ambiguities and complexities which cannot be resolved by analysis of the scalp recordings will also require direct probing of the brain for resolution.

The somatosensory evoked response has been most extensively recorded from the human cortex, and some studies have compared its amplitude with that of scalp-recorded potentials in the same subject (Giblin, 1964; Domino, Matsouka, Waltz, & Cooper, 1964, 1965; Broughton, 1969; Stohr & Goldring, 1969). These data indicate a scalp amplitude ranging from 6 to 25% that of the cortex. The larger estimates appear to be derived from recordings made with the skull open, which would tend to accentuate the scalp response. Giblin's data are most useful, as he recorded the scalp responses both before and after craniotomy. Preoperatively the scalp response was about 15% and postoperatively about 25% the size of the cortical response recorded at surgery. The cortical generator size, estimated from the model on the basis of these amplitude ratios, would range from 18°

to 50°. Giblin's preoperative ratio conforms to an angular dimension of 35°. Stimulation data (Penfield & Boldrey, 1937) indicate that the cortical hand area subtends about 20° in the anteroposterior dimension and 45° in the coronal plane (cf. Fig. 4-6). This oval source would be equivalent to a circular cap of the appropriate dimensions to account for the observed amplitude relationships. Few cortical recordings of the evoked potentials in the auditory and visual modalities are available. Celesia and Puletti (1969) have reported a particularly valuable transcortical recording of the early components of the human auditory evoked response, which permits computation of the expected scalp amplitude from the model of an auditory projection cortex. The predicted value of about 2  $\mu$ V conforms to the order of magnitude usually obtained for this small initial deflection in scalp recordings.

In view of the satisfactory predictions concerning scalp-cortex amplitude relations obtained from the model, it should be possible to assess the relative amplitudes of different ERP components at the cortical surface by comparing their scalp distributions. The amplitude at the scalp is strongly influenced by generator size, so the more extensive source will produce a greater amplitude in the scalp recording if their cortical amplitudes are comparable. If the relative amplitudes of two potentials differing in distribution depart from the amplitude relation depicted in Fig. 4-10, a disparity in intracranial amplitude can be inferred. The relationship between source size and strength must always be kept in mind when interpreting changes in ERP magnitude. Probably the most ubiquitous fallacy in interpretation of ERP data derives from the assumption that amplitude changes represent a similar alteration in the intensity of underlying neural activity. In addition to the more fundamental uncertainties concerning the specific information on cellular processes which is conveyed by their volume-conducted manifestations, it will now be evident that changes in the extent of active cortex will alter the maximum amplitude recorded at the scalp. Thus, unless the potential distribution is monitored, the interpretation of amplitude changes will be ambiguous.

In order to introduce the use of the volume conduction model for the elucidation of more complex brain potential configurations, let us consider the relationship between the intracranial generators and scalp distributions of the visually evoked potentials. In Fig. 4-8 the occipital cortical areas which are presumed to represent the main generators of the visual responses are depicted. These include the primary projection (area 17) and the prestriate visual cortex (areas 18 and 19). The striate cortex presents a complex anatomical configuration, only a small portion presenting at the surface of the occipital pole and the remainder being buried within the sagittal and calcarine fissures. These relationships are represented in the model by the combination of case A and B dipole configurations diagrammed in Fig. 4-8. The specificity of the retinotopic projections onto visual cortex (Holmes,

#### 4. THE ANALYSIS OF SCALP-RECORD

1945) permits an especially good model in relation to the size and retina projects to the external surface a bell-shaped distribution centered components of the visual evoked 100 msec, have a distribution centered part of area 17. As the area of retinal projections to mesial striate cortex contribute to the scalp potential increase in the area of retinal stimulation change in the VER. However, a spot of light is projected eccentrically asymmetrically activated and can be elicited. This expectation has (1971) and in our laboratory (instance of hemicortical stimulation). Fender (1969) in a patient with stimuli limited to one side of polarity typical of a case B generator contrast to the earlier VER component striate cortex, the more widespread implicates extrastriate areas as activity, which peaks at about 200 msec stimuli. The presence of contour variable. When visual stimuli are expected presentation or as a target the responses manifest very long over 500 msec. These components inferior parietal lobule. The evoked responses with variations as well as with stimulus content detailed attention to the spatial taken from a single electrode plane of the potential distribution to complete but often actively misleading corresponding assessment of position seen, be meaningless.

#### IV. Syn

The imperfect tool provided by mechanisms requires at once a

rms to an angular dimension of  $\mu$ , 1937) indicate that the cortical roposterior dimension and  $45^\circ$  in source would be equivalent to ons to account for the observed ordings of the evoked potentials available. Celesia and Puletti (1969) nscortical recording of the early d response, which permits compu- from the model of an auditory of about  $2 \mu\text{V}$  conforms to the or this small initial deflection in

concerning scalp-cortex amplitude ld be possible to assess the relative t the cortical surface by comparing at the scalp is strongly influenced ve source will produce a greater ortical amplitudes are comparable. als differing in distribution depart ig. 4-10, a disparity in intracranial ip between source size and strength erting changes in ERP magnitude. interpretation of ERP data derives nges represent a similar alteration ity. In addition to the more funda- ic information on cellular processes ducted manifestations, it will now ctive cortex will alter the maximum unless the potential distribution is de changes will be ambiguous. volume conduction model for the rtial configurations, let us consider generators and scalp distributions ig. 4-8 the occipital cortical areas n generators of the visual responses / projection (area 17) and the pre- ne striate cortex presents a complex ortion presenting at the surface of eing buried within the sagittal and re represented in the model by the onfigurations diagrammed in Fig. ections onto visual cortex (Holmes,

1945) permits an especially good opportunity to test the implications of the model in relation to the size and orientation of active tissue. Since the central retina projects to the external striate cortex, a foveal stimulus will generate a bell-shaped distribution centering on the occipital pole. The initial positive components of the visual evoked response, with latencies in the order of 100 msec, have a distribution compatible with their origin in the surface part of area 17. As the area of retinal stimulation is increased, the peripheral projections to mesial striate cortex will also be activated, but these will not contribute to the scalp potential owing to their opposing geometry. Increase in the area of retinal stimulation beyond about  $10^\circ$  produces no change in the VER. However, when half the visual field is stimulated, or a spot of light is projected eccentrically onto the retina, the mesial cortex is asymmetrically activated and an external field conforming to case B should be elicited. This expectation has been confirmed by Biersdorf and Nakamura (1971) and in our laboratory (Vaughan, 1969). A particularly interesting instance of hemicortical stimulation has been reported by Lehman and Fender (1969) in a patient with a split optic chiasma. As is the case with stimuli limited to one side of the visual field, an inversion of response polarity typical of a case B generator was observed across the midline. In contrast to the earlier VER components which appear to be generated within striate cortex, the more widespread distribution of the later components implicates extrastriate areas as well. The relative prominence of this activity, which peaks at about 200 msec, is influenced by the nature of the visual stimuli. The presence of contours or patterns appears to be the most relevant variable. When visual stimuli achieve significance, either through their unexpected presentation or as a task-relevant signal (Ritter & Vaughan, 1969), the responses manifest very long latency components, ranging from 300 to over 500 msec. These components arise primarily from the region of the inferior parietal lobule. The striking changes in distribution of visual evoked responses with variation in the locus and area of retinal stimulation, as well as with stimulus content and significance, illustrate the need for detailed attention to the spatial characteristics of the ERP. Recordings taken from a single electrode placement or even several, without knowledge of the potential distribution to be anticipated, will not merely be incomplete but often actively misleading. Measurements of amplitude without corresponding assessment of possible changes in distribution will, as we have seen, be meaningless.

#### IV. Synthesis and Prospectus

The imperfect tool provided by scalp-recorded potentials for analyzing brain mechanisms requires at once a cautious interpretation and daring applica-

tion in exploring the physiologic basis of human experience and behavior. Caution is dictated by the extreme degradation of information on neural processes which these data present. From a four-dimensional panoply of intracerebral neural events, the attenuated and distorted manifestations conveyed by volume-conducted currents are reduced to a three-dimensional representation on the surface of the scalp. In the two analytical techniques we have described, a further dimensional reduction is imposed. The recording of activity from a single locus, referred to an inactive site, provides a temporal display of but one point in the potential distribution over the scalp. Employing this spatial sample, we extract through averaging an estimate of the neuroelectric signals time locked to an observable reference event. If we simultaneously obtain a sufficient number of these records, we may slice these data into a spatial representation of potential distribution at a single moment in time and achieve, with the help of a suitable analytical model, an indication of the intracranial source of that particular field configuration. In order to extract the totality of information on intracranial processes which is available in these records, a synthesis of the temporal and spatial data must be achieved. However, without some analytic focus, some simplifying principle, the mere compilation of a three-dimensional display represents but a technical *tour de force*, possibly of some aesthetic merit. There are clearly certain nodal features of the brain potential data toward which we can direct our main concern. In the time domain, we identify peaks and valleys of the potential record, which we have called "components," as if each undulation possessed some separate identity and significance. Indeed, the spatial analysis we have described depends upon the identification of salient features of the waveform which can be identified over a substantial area of the scalp. In the initial section we suggested that some aspects of the scalp potential waveform could, as "event related potentials," provide an indication of the timing and location of intracranial neural processes. The validity of such inferences ultimately depends upon evidence on the linkage between surface cortical potentials and the firing patterns of intracortical neurons in the behaving organism. It is ironic that the introduction of microelectrode techniques for recording from single neurons has led the practitioners of that art to a contemptuous attitude toward the less well-defined volume-conducted activity, at the same time that methods for chronic intracranial recording have permitted extensive study of the gross potentials in behaving animals, and the averaging technique provided us with tools for selective analysis of human brain potentials. Thus, we have been denied the extensive correlative data on relationships between neural firing patterns and gross brain potentials which are required to give more explicit physiologic meaning to the latter phenomena. The few available data give us only a tantalizing glimpse of these matters. Thus, in

the striate cortex of the monkey positivity with increased firing rate and negativity with inhibition of discharge of pyramidal tract neurons (Evarts, 1966) is temporary negative deflection, both in the monkey (Vaughan, Bossom, & Gross, 1966) and in the human (Vaughan, & Costa, 1966) under data indicate that the ambiguity of studies carried out under less normal conditions in a behaving animal, thus necessitates a distinction between gross and cellular potentials.

Until such detailed data are available, the ERP amplitude measurement is a measure of the magnitude of neural activity. It is not clear what mechanisms nor how they enhance the response. We urge investigators to persist in *ad hoc* analyses solely upon changes in ERP amplitude, devoting our primary attention to the time and place where. The methods briefly described here to defining the timing and source of the potential has been adequately characterized. We may then begin to ask questions about mental variables. Without commensurate data in terms of neural processes, a *ipso facto* evidence of a change in the potential at a particular time relative to the behavioral significance of such a change. We employ parametric techniques where nonparametric techniques provide the answer. Constant attention to precise measurement of the response, and to the relevant areas of the scalp are requisite to valid results. The literature is filled with respect to these questions. The manifestations of human brain potentials as indices of complex psychological processes in these ventures, though never gaining a full understanding of the physiologic processes on the one hand, and attention to psychological constructs, on the other, have value, concepts such as arousal and attention themselves to precise psychophys

human experience and behavior. Reduction of information on neural activity to a four-dimensional panoply of undistorted manifestations conduced to a three-dimensional

In the two analytical techniques reduction is imposed. The recording of an inactive site, provides a potential distribution over the scalp. Extract through averaging an electrode to an observable reference point number of these records, we obtain an estimation of potential distribution. With the help of a suitable analytical method, a source of that particular field of information on intracranial activity is obtained. A synthesis of the temporal and spatial distribution, with or without some analytic focus, some form of a three-dimensional display is possibly of some aesthetic merit.

In the time domain, we identify a component, which we have called "component," some separate identity and significance have described depends upon the waveform which can be identified in the initial section we suggested that a component could, as "event related potential," timing and location of intracranial activity ultimately depends upon the cortical potentials and the firing rate of the behaving organism. It is ironic that techniques for recording from single electrodes at rest to a contemptuous attitude toward induced activity, at the same time as recording have permitted extensive use of single animals, and the averaging technique analysis of human brain potentials. We have correlative data on relationships between brain potentials which are required for the latter phenomena. The few glimpses of these matters. Thus, in

the striate cortex of the monkey there is a predominant pattern of surface positivity with increased firing rate in response to a photic stimulus, and negativity with inhibition of discharge (Vaughan, 1969). By contrast, the discharge of pyramidal tract neurons associated with a voluntary hand movement (Evarts, 1966) is temporally associated with a biphasic positive-negative deflection, both in the records obtained from the cortex of monkeys (Vaughan, Bossom, & Gross, 1970) and from the human scalp (Gilden, Vaughan, & Costa, 1966) under the same experimental conditions. These data indicate that the ambiguity concerning polarity of surface response in studies carried out under less normal physiologic conditions also exists in the behaving animal, thus necessitating a detailed evaluation of the relations between gross and cellular potentials in the relevant behavioral circumstances.

Until such detailed data are available, it will be desirable to interpret the ERP amplitude measurements with great circumspection as regards the magnitude of neural activity. It will neither advance our knowledge of brain mechanisms nor enhance the repute of human brain potential studies for investigators to persist in *ad hoc* speculations on neural processing based solely upon changes in ERP amplitude. We will remain on safer ground by devoting our primary attention to answering the questions of when and where. The methods briefly described in this chapter provide an approach to defining the timing and sources of ERP components. Once a component has been adequately characterized as to timing and source geometry, we may then begin to ask questions concerning its covariation with experimental variables. Without committing ourselves to specific interpretations in terms of neural processes, a change in an ERP component provides *ipso facto* evidence of a change in brain activity at a specific brain site at a particular time relative to the reference event. In elucidating the neuro-behavioral significance of such changes, it will always be most useful to employ parametric techniques whenever feasible. Psychophysics and reaction time techniques provide the experimental models for these analyses. Constant attention to precise measurement and control of stimulus and response, and to the relevant anatomical and physiologic considerations, are requisite to valid results. The literature must always be critically evaluated with respect to these questions. Pressures exist to utilize the simple manifestations of human brain processes provided by scalp-recorded potentials as indices of complex psychological constructs. The possibilities for success in these ventures, though never great, will be enhanced by increasing understanding of the physiologic processes underlying the generation of the ERP, on the one hand, and attention to the precise definition of appropriate psychological constructs, on the other. Despite their undoubted heuristic value, concepts such as arousal, attention, and intelligence do not lend themselves to precise psychophysiological analysis and interpretation (Moray,

(X)

1970; Vaughan & Ritter, 1973). In trying to fulfill its unique promise of insight into human brain processes, the analysis of scalp-recorded potentials will best be served by experimental methods which permit the observation of concomitant variations in physiologic and psychological variables.

### Acknowledgments

The research upon which much of the work described here was based has been supported by several grants from the National Institutes of Health and the National Institute of Mental Health and has been carried out with a number of collaborators and technical assistants, to whom I am deeply indebted. I am especially grateful to Dr. Herbert Schimmel for discussions and working papers which elucidated a number of mathematical aspects of human brain potential analysis, and to Dr. Rodney Becher for working out the details of the volume conduction model. Any errors, either conceptual or substantive, are the sole responsibility of the author.

### References

- Averbach, E., & Sperling, G. Short term storage of information in vision. In C. Cherry (Ed.), *Information theory*. London: Butterworth, 1961. Pp. 196-211.
- Bergland, G. D. A guided tour of the fast Fourier transform. *IEEE Spectrum*, July 1969, 41-52.
- Biersdorf, W. R., & Nakamura, Z. Electroencephalogram potentials evoked by hemi-retinal stimulation. *Experientia*, 1971, 27, 402-403.
- Blackman, R. B., & Tukey, J. W. *The measurement of power spectra*. New York: Dover, 1958.
- Broughton, R. J. Discussion after H. G. Vaughan, Jr. The relationship of brain activity to scalp recordings of event-related potentials. In E. Donchin and D. B. Lindsley (Eds.), *Averaged evoked potentials: Methods, results, evaluations*. Washington, D. C.: National Aeronautics and Space Administration, NASA SP-191, 1969. Pp. 79-84.
- Celesia, G. G., & Puletti, F. Auditory cortical areas of man. *Neurology*, 1969, 19, 211-220.
- Creutzfeldt, O. D., Watanabe, S., & Lux, H. D. Relations between EEG phenomena and potentials of single cortical cells. I. Evoked responses after thalamic and epicortical stimulation. *Electroencephalography and Clinical Neurophysiology*, 1966, 20, 1-18. (a)
- Creutzfeldt, O. D., Watanabe, S., & Lux, H. D. Relations between EEG phenomena and potentials of single cortical cells. II. Spontaneous and convulsoid activity. *Electroencephalography and Clinical Neurophysiology*, 1966, 20, 19-37. (b)
- Dern, H., & Walsh, J. B. Analysis of complex waveforms. In W. L. Nastuk (Ed.), *Physical techniques in biological research*. New York: Academic Press, 1963. Pp. 99-218.
- Domino, E. F., Matsouka, S., Waltz, J., & Cooper, I. S. Simultaneous recordings of scalp and epidural somatosensory evoked responses in man. *Science*, 1964, 145, 1199-1200.
- Domino, E. F., Matsouka, S., Waltz, J., & Cooper, I. S. Effects of cryogenic thalamic lesions somatosensory evoked response in man. *Electroencephalography and Clinical Neurophysiology*, 1965, 19, 127-138.
4. THE ANALYSIS OF SCALP-RECORDED
- Donchin, E. A multivariate approach to the a actions *Bio-Medical Engineering*, 1966, 8
- Donchin, E., & Lindsley, D. B. (Eds.) *Averations*. Washington, D. C.: National A SP-191, 1969.
- Donchin, E. Data analysis techniques in aver: D. B. Lindsley (Eds.), *Averaged evoked p ton*, D. C.: National Aeronautics and : 199-236.
- Donchin, E., Callaway, E., & Jones, R. T. phrenia. II. The application of discrimin *Neurophysiology*, 1970, 29, 429-440.
- Donders, F. C. Die Schnelligkeit Psychische und wissenschaftliche Medizin, 1868, 657-
- Efron, R., The minimum duration of a pe
- Efron, R. The relationship between the durati *Neuropsychologia*, 1970, 8, 37-55. (b)
- Evarts, E. V. Pyramidal tract activity assoc monkey. *Journal of Neurophysiology*, 19
- Geschwind, N., & Levitsky, W. Human br region. *Science*, 1968, 161, 186-187.
- Giblin, D. R. Somatosensory evoked potenti of the nervous system. *Annals of the Ne*
- Gilden, L., Vaughan, H. G., Jr., & Costa, L. with voluntary movement. *Electroencephal* 433-438.
- Goldring, S., Aras, E., & Weber, P. C. Cor in animals and man. *Electroencephalo* 537-550.
- Haber, R. N., & Standing, L. G. Direct estim *Journal of Psychology*, 1970, 24, 216-22
- Holmes, G. The organization of the visual c *London*, 1945, 132B, 348-361.
- Holmes, O., & Houchin, J. A model of the pe stimulation. *Journal of Physiology*, 1967
- Köhler, W., Held, R., & O'Donnell, D. N. of the American Philosophical Society, 1
- Kooi, K. A., Tipton, A. C., & Marshall, R. components of the human auditory evc *alography and Clinical Neurophysiology*,
- Lehman, D., & Fender, D. H. Component dichoptic stimuli using different targe *Neurophysiology*, 1968, 24, 542-553.
- Lehman, D., & Fender, D. H. Averaged vi dichoptic interaction studied in a subjek *Clinical Neurophysiology*, 1969, 27, 142-

g to fulfill its unique promise of analysis of scalp-recorded potentials which permit the observation of psychological variables.

#### ments

cribed here was based has been supported by health and the National Institute of Mental Health and technical assistants, to thank Dr. Herbert Schimmel for discussions of mathematical aspects of human brain working out the details of the volume substantive, are the sole responsibility of

#### ces

of information in vision. In C. Cherry (Ed.), 51. Pp. 196-211.

ransform. *IEEE Spectrum*, July 1969, 41-52. halogram potentials evoked by hemi-retinal

of power spectra. New York: Dover, 1958.

an, Jr. The relationship of brain activity to In E. Donchin and D. B. Lindsley (Eds.),

s, evaluations. Washington, D. C.: National Aeronautics and Space Administration, NASA SP-191, 1969. Pp. 79-84.

reas of man. *Neurology*, 1969, 19, 211-220.

Relations between EEG phenomena and responses after thalamic and epicortical stimulation. *Neurophysiology*, 1966, 20, 1-18. (a)

Relations between EEG phenomena and ous and convulsoid activity. *Electroencephalography*, 1965, 20, 19-37. (b)

reforms. In W. L. Nastuk (Ed.), *Physical techniques of EEG*. Academic Press, 1963. Pp. 99-218.

er, I. S. Simultaneous recordings of scalp and in man. *Science*, 1964, 145, 1199-1200.

per, I. S. Effects of cryogenic thalamic lesions on EEG. *Electroencephalography and Clinical Neurophysiology*, 1969, 27, 142-145.

- Donchin, E. A multivariate approach to the analysis of average evoked potentials. *IEEE Transactions Bio-Medical Engineering*, 1966, **BME-13** (3), 131-139.
- Donchin, E., & Lindsley, D. B. (Eds.) *Averaged evoked potentials: Methods, results, evaluations*. Washington, D. C.: National Aeronautics and Space Administration, NASA SP-191, 1969.
- Donchin, E. Data analysis techniques in average evoked potential research. In E. Donchin and D. B. Lindsley (Eds.), *Averaged evoked potentials: Methods, results, evaluations*. Washington, D. C.: National Aeronautics and Space Administration, NASA SP-191, 1969. Pp. 199-236.
- Donchin, E., Callaway, E., & Jones, R. T. Auditory evoked potential variability in schizophrenia. II. The application of discriminant analysis. *Electroencephalography and Clinical Neurophysiology*, 1970, **29**, 429-440.
- Donders, F. C. Die Schnelligkeit Psychischer Prozesse. *Archiv für Anatomie und Physiologie und wissenschaftliche Medizin*, 1868, 657-681.
- Efron, R., The minimum duration of a perception. *Neuropsychologia*, 1970, **8**, 57-63. (a)
- Efron, R. The relationship between the duration of a stimulus and the duration of a perception. *Neuropsychologia*, 1970, **8**, 37-55. (b)
- Evarts, E. V. Pyramidal tract activity associated with a conditioned hand movement in the monkey. *Journal of Neurophysiology*, 1966, **29**, 1011-1027.
- Geschwind, N., & Levitsky, W. Human brain: Left-right asymmetries in temporal speech region. *Science*, 1968, **161**, 186-187.
- Giblin, D. R. Somatosensory evoked potentials in healthy subjects and in patients with lesions of the nervous system. *Annals of the New York Academy of Sciences*, 1964, **112**, 93-142.
- Gilden, L., Vaughan, H. G., Jr., & Costa, L. D. Summated human EEG potentials associated with voluntary movement. *Electroencephalography and Clinical Neurophysiology*, 1966, **20**, 433-438.
- Goldring, S., Aras, E., & Weber, P. C. Comparative study of sensory input to motor cortex in animals and man. *Electroencephalography and Clinical Neurophysiology*, 1970, **29**, 537-550.
- Haber, R. N., & Standing, L. G. Direct estimates of the apparent duration of a flash. *Canadian Journal of Psychology*, 1970, **24**, 216-229.
- Holmes, G. The organization of the visual cortex in man. *Proceedings of the Royal Society of London*, 1945, **132B**, 348-361.
- Holmes, O., & Houchin, J. A model of the potential evoked from the cerebral cortex by afferent stimulation. *Journal of Physiology*, 1967, **191**, 3-4.
- Köhler, W., Held, R., & O'Donnell, D. N. An investigation of cortical currents. *Proceedings of the American Philosophical Society*, 1952, **96**, 290-330.
- Kooi, K. A., Tipton, A. C., & Marshall, R. E. Polarities and field configurations of the vertex components of the human auditory evoked response: A reinterpretation. *Electroencephalography and Clinical Neurophysiology*, 1971, **31**, 166-169.
- Lehman, D., & Fender, D. H. Component analysis of human averaged evoked potentials: dichoptic stimuli using different target structure. *Electroencephalography and Clinical Neurophysiology*, 1968, **24**, 542-553.
- Lehman, D., & Fender, D. H. Averaged visual evoked potentials in humans: mechanism of dichoptic interaction studied in a subject with a split chiasma. *Electroencephalography and Clinical Neurophysiology*, 1969, **27**, 142-145.

- Mason, S. J., & Zimmerman, H. J. *Electronic circuits, signals, and systems*, Chapter 6, Signal analysis. New York: Wiley, 1960. Pp. 178-309.
- Miller, J. M., & Glickstein, M. Neural circuits involved in visuomotor reaction time in monkeys. *Journal of Neurophysiology*, 1967, **30**, 399-414.
- Moray, N. *Attention: Selective processes in vision and hearing*. New York: Academic Press, 1970.
- Penfield, W., & Boldrey, E. Somatic motor and sensory representation in the cerebral cortex of man as studied by electrical stimulation. *Brain*, 1937, **60**, 389-443.
- Plonsey, R., & Heppner, D. B. Considerations of quasi-stationarity in electrophysiological systems. *Bulletin of Mathematical Biophysics*, 1967, **29**, 657-664.
- Polyak, S. *The vertebrate visual system*. Chicago, Illinois: Univ. of Chicago Press, 1957.
- Posner, M. I., & Taylor, R. L. Subtractive method applied to separation of visual and name components of multiletter arrays. In W. G. Koster (Ed.), *Attention and performance II*. Amsterdam: North-Holland Publ., 1969. Pp. 104-114.
- Rall, W., & Shepherd, G. M. Theoretical reconstruction of field potentials and dendrodendritic synaptic interactions in olfactory bulb. *Journal of Neurophysiology*, 1968, **31**, 884-915.
- Ritter, W., & Vaughan, H. G., Jr. Averaged evoked responses in vigilance and discrimination: A reassessment. *Science*, 1969, **164**, 326-328.
- Rush, S., & Driscoll, D. A. Current distribution in the brain from surface electrodes. *Anesthesia and Analgesia—Current Researches*, 1968, **47**, 717-723.
- Schimmel, H. The  $\pm$  reference: Accuracy of estimated mean components in average response studies. *Science*, 1967, **157**, 92-94.
- Schimmel, H., Rapin, I., & Cohen, M. M. Machine scoring of the EEG auditory evoked response (AER), with special reference to testing infants and handicapped children. *Audiology*, in press.
- Sternberg, S. The discovery of processing stages: extensions of Donder's method. In W. G. Koster (Ed.), *Attention and performance II*. Amsterdam: North-Holland Publ., 1969. Pp. 276-315.
- Stohr, P. E., & Goldring, S. Origin of somatosensory evoked scalp responses in man. *Journal of Neurosurgery*, 1969, **31**, 117-127.
- Vaughan, H. G., Jr. The relationship of brain activity to scalp recordings of event-related potentials. In E. Donchin and D. B. Lindsley (Eds.), *Averaged evoked potentials: Methods, results, evaluations*. Washington, D. C.: National Aeronautics and Space Administration, NASA SP-191, 1969. Pp. 45-94.
- Vaughan, H. G., Jr., & Gross, C. G. Cortical responses to light in unanesthetized monkeys and their alteration by visual system lesions. *Experimental Brain Research*, 1969, **8**, 19-36.
- Vaughan, H. G., Jr., & Hull, R. C. Unpublished computer program, 1963.
- Vaughan, H. G., Jr., & Ritter, W. The sources of auditory evoked responses recorded from the human scalp. *Electroencephalography and Clinical Neurophysiology*, 1970, **28**, 360-367.
- Vaughan, H. G., Jr., & Ritter, W. Physiologic approaches to the analysis of attention and performance. In S. Kornblum (Ed.), *Attention and performance IV*. New York: Academic Press, 1973.
- Vaughan, H. G., Jr., Bossom, J., & Gross, E. G. Cortical motor potential in monkeys before and after upper limb deafferentation. *Experimental Neurology*, 1970, **26**, 253-262.
- Vaughan, H. G., Jr., Costa, L. D., & Gilden, L. The functional relation of visual evoked response and reaction time to stimulus intensity. *Vision Research*, 1966, **6**, 645-656.
- Vaughan, H. G., Jr., Costa, L. D., & Ritter, W. Topography of the human motor potential. *Electroencephalography and Clinical Neurophysiology*, 1968, **25**, 1-10.

## 4. THE ANALYSIS OF SCALP-RECORDED

- Vaughan, H. G., Jr., Costa, L. D., Gilden, L. D., & Ritter, W. The motor components of cerebral activity. *Convention of American Psychological Association*, 1968.
- Walter, W. G., Cooper, R., Aldridge, V. J., & Morison, J. S. Negative variation: An electrical sign of human brain. *Nature*, 1964, **203**, 380-383.

circuits, signals, and systems, Chapter 6, Signal  
09.  
olved in visuomotor reaction time in monkeys.  
14.  
nd hearing. New York: Academic Press, 1970.  
sensory representation in the cerebral cortex  
*Brain*, 1937, **60**, 389-443.  
of quasi-stationarity in electrophysiological  
; 1967, **29**, 657-664.  
Illinois: Univ. of Chicago Press, 1957.  
od applied to separation of visual and name  
Koster (Ed.), *Attention and performance II*.  
. 104-114.  
struction of field potentials and dendroden-  
). *Journal of Neurophysiology*, 1968, **31**, 884-  
ed responses in vigilance and discrimination:  
a the brain from surface electrodes. *Anesthesia*  
**1**, 717-723.  
mated mean components in average response  
hine scoring of the EEG auditory evoked re-  
ting infants and handicapped children. *Audi-*  
s: extensions of Donder's method. In W. G.  
T. Amsterdam: North-Holland Publ., 1969.  
nsory evoked scalp responses in man. *Journal*  
stivity to scalp recordings of event-related po-  
(Eds.), *Averaged evoked potentials: Methods*,  
tional Aeronautics and Space Administration,  
ponses to light in unanesthetized monkeys and  
*Experimental Brain Research*, 1969, **8**, 19-36.  
computer program, 1963.  
f auditory evoked responses recorded from the  
*Clinical Neurophysiology*, 1970, **28**, 360-367.  
pproaches to the analysis of attention and per-  
n and performance IV. New York: Academic  
i. Cortical motor potential in monkeys before  
*Experimental Neurology*, 1970, **26**, 253-262.  
he functional relation of visual evoked response  
*Brain Research*, 1966, **6**, 645-656.  
l. Topography of the human motor potential.  
*Neurophysiology*, 1968, **25**, 1-10.

Vaughan, H. G., Jr., Costa, L. D., Gilden, L., & Schimmel, H. Identification of sensory and motor components of cerebral activity in simple reaction-time tasks. *Proceedings of 73rd Convention of American Psychological Association*, 1965, **1**, 179-180.  
Walter, W. G., Cooper, R., Aldridge, V. J., McCallum, W. C., & Winter, A. L. Contingent negative variation: An electrical sign of sensorimotor association and expectancy in the human brain. *Nature*, 1964, **203**, 380-384.

